

SAMSUNG LED Monitor

3 Years Warranty

SAMSUNG

เงื่อนไขการรับประกันจอเป็นจุดของ Samsung Monitor ทุกรุ่น รับเคลมเฉพาะกรณีสินค้าจอที่มีจุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)



LS24C310EAEXXT
SSG-LS24C310EAEXXT



LS27C310EAEXXT
SSG-LS27C310EAEXXT



LS27A800UJEXXT
SSG-LS27A800UJEXXT



LS27C900PAEXXT
SSG-LS27C900PAEXXT

HAS
PIVOT
Speaker

Series	Flat Monitor S31C	Flat Monitor S31C	ViewFinity S8 (S80UA)	ViewFinity S9 (S90PC)
Size	23.8"	27"	26.9"	27"
Panel	IPS	IPS	IPS	IPS
Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)	3840 x 2160 (UHD 4K)	5120 x 2880 (UHD 5K)
Refresh Rate	75Hz	75Hz	60Hz	60Hz
Response Time	5ms	5ms	5ms	5ms
Brightness	250cd/m2	250cd/m2	300cd/m2	600cd/m2
Contrast	1,000:1	1,000:1	1,000:1	1,000:1
Connector	D-sub(VGA)x1,HDMI x1	D-sub(VGA)x1,HDMI x1	HDMIx1,USB-Cx1, USBx3,DPx1	Mini DPx1, Thunderbolt 3 (V.4) x1, USBx3
Special Features	FreeSync	FreeSync	USB-C (90W)	Thunderbolt™4 (90W) WiFi5, BT4.2
SRP(inc.VAT)	3,890.-	4,990.-	12,490.-	45,990.-



LS32BM700UEXXT
SSG-LS32BM700UEXXT

Speaker



LS32CM701UEXXT
SSG-LS32CM701UEXXT

HAS
PIVOT
Speaker



LS24AG320NEXXT
SSG-LS24AG320NEXXT

HAS
Speaker

LS24C330GAEXXT
SSG-LS24C330GAEXXT

New

Series	Smart Monitor M7	Smart Monitor M7 (M70C)	G3 Gaming Flat Monitor	Flat Monitor S33GC
Size	31.5"	32"	23.8"	23.8"
Panel	VA	VA	VA	IPS
Resolution	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD)	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)
Refresh Rate	60Hz	60Hz	165Hz	100Hz
Response Time	4ms	4ms	1ms	4ms
Brightness	300cd/m2	300cd/	250cd/m2	250cd/m2
Contrast	3,000:1	3,000:1	3,000:1	1,000:1
Connector	HDMIx2,USB-Cx1	HDMIx1,USB-Cx1(65W), USBx2	HDMIx1,DPx1	DPx1, HDMIx1
Special Features	IPTV feature	IPTV feature	FreeSync Premium	FreeSync
SRP(inc.VAT)	12,990.-	16,490.-	5,990.-	4,390.-



LS34C500GAEXXT
SSG-LS34C500GAEXXT

New



LS27AG320NEXXT
SSG-LS27AG320NEXXT

HAS
Speaker



LS25BG400EEXXT
SSG-LS25BG400EEXXT

HAS
PIVOT

Series	ViewFinity S5 (S50GC)	Odyssey G3 Gaming Flat	Odyssey G4 Gaming Flat (G40B)
Size	34"	27"	25"
Panel	VA	VA	IPS
Resolution	3440 x 1440 (2K WQHD/21:9)	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)
Refresh Rate	100Hz	165Hz	240Hz
Response Time	5ms	1ms	1ms
Brightness	300cd/	250cd/m2	400cd/
Contrast	3,000:1	3,000:1	1,000:1
Connector	DPx1, HDMIx2	HDMIx1,DPx1	HDMIx2,DPx1
Special Features	FreeSync	FreeSync Premium	FreeSync PM / G-Sync
SRP(inc.VAT)	12,990.-	8,190.-	8,990.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

SAMSUNG LED Monitor

3 Years Warranty

SAMSUNG

เงื่อนไขการรับประกันจอเป็นจุดของ Samsung Monitor ทุกรุ่น รับเคลมเฉพาะกรณีสินค้าจอที่มีจุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)



HAS
PIVOT

LS27CG510EEXXT
SSG-LS27CG510EEXXT



HAS
PIVOT

LS32CG510EEXXT
SSG-LS32CG510EEXXT



HAS
PIVOT
Speaker

LS28BG700EEXXT
SSG-LS28BG700EEXXT

Series	Odyssey G5 Gaming Flat	Odyssey G5 Gaming Flat	Odyssey G7 Gaming Flat
Size	27"	31.5"	28"
Panel	VA	VA	VA
Resolution	2560 x 1440 (QHD 2K)	2560 x 1440 (QHD 2K)	3840 x 2160 (UHD 4K)
Refresh Rate	165Hz	165Hz	144Hz
Response Time	1ms	1ms	1ms
Brightness	300cd/m2	300cd/m2	300cd/m2
Contrast	3,000:1	3,000:1	1,000:1
Connector	HDMIx2,DPx1	HDMIx2,DPx1	HDMIx2,DPx1
Special Features	FreeSync Premium	FreeSync Premium	FreeSync Premium Pro
SRP(inc.VAT)	9,990.-	11,590.-	19,990.-



HAS
PIVOT
Speaker

LS32BG702EEXXT
SSG-LS32BG702EEXXT



Tilt
Speaker

LS43CG700NEXXT
SSG-LS43CG700NEXXT

Series	Odyssey G7 Gaming Flat	Odyssey NEO G7 Gaming Flat
Size	31.5"	43"
Panel	VA	VA
Resolution	3840 x 2160 (UHD 4K)	3840 x 2160 (UHD 4K)
Refresh Rate	144Hz	144Hz
Response Time	1ms	1ms
Brightness	350cd/m2	400cd/m2
Contrast	1,000:1	1,000,000:1
Connector	HDMIx2,DPx1	HDMI x2,DPx1
Special Features	FreeSync Premium Pro	FreeSync Premium Pro
SRP(inc.VAT)	26,990.-	29,990.-



HAS
Speaker

LS34BG850SEXXT
SSG-LS34BG850SEXXT



HAS
Speaker

LS49CG934SEXXT
SSG-LS49CG934SEXXT

Series	Odyssey OLED G8 Gaming Curved	Odyssey OLED G9 Gaming Flat
Size	34"	49"
Panel	OLED	IPS
Resolution	3440 x 1440 (WQHD/21:9)	5120 x 1440
Refresh Rate	175Hz	240Hz
Response Time	0.1ms	0.3ms
Brightness	250cd/m2	250cd/m2
Contrast	1,000,000:1	1,000,000:1
Connector	HDMI(Mini)x2,USB-Cx2, DP(Mini) x1	Display Port x1 HDMI x 1 USB x 3
Special Features	IPTV feature, FreeSync Premium	FreeSync Premium Pro
SRP(inc.VAT)	49,990.-	59,990.-

ACER Monitor

3 Years Warranty and labor



LED 19.5"
E200Qbi (TN,75 Hz)
ACR-UMIE0ST002



LED 21.5"
EK220QH3bi (VA,100 Hz)
ACR-UMWE0ST301

ICT 4,500



LED 21.5"
SA222Q Ebi (IPS,100 Hz)
ACR-UMWS2STE01

Display Size	19.5 inch (16:9)	21.5 inch (16:9)	21.5 inch (16:9)
Resolution	VGA:1600x900 HDMI:@75Hz	VGA:1920x1080@75Hz HDMI:@100Hz	VGA:1920x1080@75Hz HDMI:@100Hz
Glare	Glare : No	Glare : No	Glare : No
Panel Type	Panel type : TN	Panel type : VA	Panel type : IPS
Response time	Response time : N/A	Response time : 1ms (VRB)	Response time : 1ms (VRB)
Contrast	(ACM) : 100 million: 1 max (Native) : 600:1	(ACM) : 100 million: 1 max (Native) : 3,000:1	(ACM) : 100 million: 1 max (Native) : 3000:1
Brightness	200 nits (cd/m2)	250 nits (cd/m2)	250 nits (cd/m2)
Input signal	VGA, HDMI	VGA, HDMI	VGA, HDMI, SPK, Audio in/out
Other	Cable in the box : HDMI cable	Cable in the box : HDMI Cable	Cable in the box : HDMI cable
Wall mounting	VESA Wall Mounting : 100x100mm	VESA Wall Mounting : 100x100mm	VESA Wall Mounting : 75x75mm
Speaker	Speaker : N/A	Speaker : 2Wx2	Speaker : 1Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	2,290.-	2,990.-	3,190.-



LED 23.8"
SA242YHbmix (VA,100 Hz)
ACR-UMQS2STH01



New
Vero LED 27" RS272
bpamix (IPS,100 Hz)
ACR-UMHR2ST001



Nitro Gaming LED 23.8"
VG240YEBmipx (IPS,100 Hz)
ACR-UMQV0STE02

Display Size	23.8 inch (16:9)	27 inch (16:9)	Display size : 23.8 inch (16:9)
Resolution	VGA: 1920x1080@75Hz HDMI: @100Hz	VGA:1920x1080@75Hz HDMI:@100Hz	1920x1080@100Hz
Glare	Glare : No	No	Glare : No
Panel Type	Panel type : VA	IPS	Panel type : IPS
Response time	Response time : 1ms (VRB)	1ms (VRB)	Response time : 1ms (VRB)
Contrast	(ACM) : 100 million: 1 max (Native) : 3,000:1	(ACM) : 100 million: 1 max (Native) : 1,000:1	(ACM) : 100 million: 1 max (Native) : 1,000:1
Brightness	250 nits (cd/m2)	250 nits (cd/m2)	250 nits (cd/m2)
Input signal	VGA, HDMI(1.4), SPK, Audio in/out	VGA, HDMI(1.4), SPK, Audio in/out	HDMI, DisplayPort, SPK, Audio out
Other	Cable in the box : HDMI cable	Cable in the box : HDMI cable	Cable in the box : HDMI cable
Wall mounting	VESA Wall Mounting : 75x75mm	75x75mm	VESA Wall Mounting : 100x100 mm
Speaker	Speaker : 1Wx2	2Wx2	Speaker : 2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	3,690.-	4,390.-	4,500.-



Nitro Gaming LED 23.8"
VG240Y M3bmiipx (IPS,180 Hz)
ACR-UMQV0ST301



Nitro Gaming LED 27"
VG270EBmipx (IPS,100 Hz)
ACR-UMHV0STE01



Nitro Gaming LED 27"
VG270 M3bmiipx (IPS,180 Hz)
ACR-UMHV0ST301

Display Size	23.8 inch (16:9)	27 inch (16:9)	27 inch (16:9)
Resolution	HDMI:1920x1080@180Hz DP:1920x1080@180Hz	1920x1080@100Hz	HDMI:1920x1080@180Hz DP:1920x1080@180Hz
Glare	No	No	No
Panel Type	IPS	IPS	IPS
Response time	1ms (VRB)	1ms (VRB)	1ms (VRB)
Contrast	(ACM) : 100 million: 1 max (Native) : 1000:1	(ACM) : 100 million: 1 max (Native) : 1,000:1	(ACM) : 100 million: 1 max (Native) : 1000:1
Brightness	250 nits (cd/m2)	300 nits (cd/m2)	250 nits (cd/m2)
Input signal	HDMI, DP, SPK, Audio out HDMI cable	HDMI, DisplayPort, SPK, Audio out	HDMI, DP, SPK, Audio out
Other	HDMI cable / Support : FreeSync Premium	Cable in the box : HDMI cable	HDMI cable Support : FreeSync Premium
Wall mounting	100x100mm	VESA Wall Mounting : 100x100 mm	100x100mm
Speaker	2Wx2	Speaker : 2Wx2	2Wx2
Warranty	3 Years Parts & Labor	3 Years Parts & Labor	3 Years Parts & Labor
SRP(inc.VAT)	5,500.-	5,190.-	6,990.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

PHILIPS MONITORS

PHILIPS

ประกัน 3 ปี on site ทุกรุ่น
โทรฟรี 1800-229-009
หรือ Call Center 0-2934-3900



PHL-170S9A/67



PHL-203V5LSB2/97

Panel Type	TFT-LCD Backlight type: W-LED system	TFT-LCD Backlight type: W-LED system
Aspect Ratio	5:4 (Square)	16:9
Panel Size	17" / 43.2 cm.	19.5 inch / 49.5 cm
Pixel Pitch	0.264 x 0.264 mm	0.26 x 0.26 mm
Brightness	250 cd/m2	200 cd/m ²
Contrast Ratio (Dynamic)	1,000:1	600. : 1
Response Time	1 ms (GtG)*	5 ms
Display Color	16.7M	16.7 M
Signal Input	DVI-D (digital, HDCP), VGA (Analog)	VGA (Analogue)
Maximum Resolution	1280 x 1024 @ 60Mhz.	1600 x 900 @ 60 Hz
Dimension with stand	367 x 393 x 196 mm	465 x 345 x 170 mm
Weight	2.40 kg (Include packaging 3.66 kg)	2.33 kg
Color	Black	Black
SRP(inc.VAT)	4,120.-	2,520.-



PHL-222B9T/00



PHL-241V8/67

Panel Type	TFT LCD Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	21.5 inch / 54.6 cm	23.8 inch / 60.5 cm
Pixel Pitch	0.364 x 0.364 mm	0.275 x 0.275 mm
Brightness	250 cd/m	250 cd/m ²
Contrast Ratio (Dynamic)	1000.:1	1000.:1
Response Time	1 ms (Gray to Gray)	4 ms (GtG)*
Display Color	16.7 M	16.7 M
Signal Input	VGA (Analog), DVI-D (digital, HDCP)	VGA, HDMI, DVI-D
Maximum Resolution	1920 x 1080 @ 60Hz	1920 x 1080 @ 75 Hz*
Dimension with stand	515 x 394 x 227 mm	540 x 416 x 220 mm
Weight		3.06 kg
Color	Black	Black
SRP(inc.VAT)	8,500.-	3,540.-



PHL-271V8/67

Panel Type	IPS Backlight type: W-LED system
Aspect Ratio	16:9
Panel Size	27 inch / 68.6 cm
Pixel Pitch	0.311 x 0.311 mm
Brightness	250 cd/m
Contrast Ratio (Dynamic)	1000.:1
Response Time	4 ms (GtG)*
Display Color	16.7 M
Signal Input	VGA (Analog), HDMI (digital, HDCP)
Maximum Resolution	1920 x 1080 @ 75 Hz*
Dimension with stand	613 x 456 x 231 mm
Weight	3.75 k
Color	Black
SRP(inc.VAT)	4,280.-

Lenovo Display Monitor

กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง


Lenovo


Lenovo L15 mobile
LNV-66E4UAC1WW


New

L22i-40
LNV-67AEKACBTH

Display	15.6" WLED IPS (In-Plane Switching)	21.5" WLED IPS (In-Plane Switching)
Resolution	FHD (1920 x 1080)	FHD (1920 x 1080)
Aspect Ratio	16:9	16:9
Brightness	250cd/m2	250 cd/m2
Color Gamut	45% NTSC	99% sRGB
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	1000:1
Display Colors	16.7 Million	16.7 Million
Response Time	Extreme Mode : 6 ms Typical Mode : 14 ms	4ms (Extreme) / 6ms (Typical) / 14ms (Off)
Anti-Glare	Yes	Yes
Connectivity	Video Signal : 2 x USB Type-C 3.2 Gen1 USB Hub : YesUSB Upstream : 1 x USB2.0 USB Downstream : 1 x USB2.0	Video Input Signal : VGA + HDMI 1.4 (Support HDMI Cable In Box Length 1.8 m)
Power Supply	External	Internal
Power Voltage		Typical : 15.3 W Maximum : 21W
Weight	Packed:Starting at 1.7 kg Unpacked:Starting at 0.86 kg	Weight (Including Stand) : 2.9kg
Warranty	3 Year Onsite	3 Year Onsite
SRP(inc.VAT)	6,990.-	2,990.-


D22e-20
LNV-66D2KAC6TH

D24-40
LNV-67A2KAC6TH

Display	21.5" WLED VA	23.8" WLED VA
Resolution	FHD (1920 x 1080)	FHD (1920 x 1080)
Aspect Ratio	16:9	16:9
Brightness	250 cd/m2	250 cd/m2
Color Gamut	72% NTSC	72% NTSC
Contrast Ratio	Typical 3000:1 Dynamic 3M:1	3000:1
Display Colors	16.7 Million	16.7 Million
Response Time	Extreme Mode : 4 ms Normal Mode 6 ms	7 ms (LV 1), 6 ms (LV 2), 5 ms (LV3), 4 ms (LV 4), 19 ms (Off mode)
Anti-Glare	Yes	Yes
Connectivity	Video Input Signal : VGA + HDMI 1.4 (Support HDMI Cable In Box Length 1.8 m)	Video Connector : 1x HDMI® 1.4, 1x VGA (Support HDMI Cable In Box Length 1.8 m)
Power Supply	Internal	Internal
Power Voltage	100-240VAC (50-60 Hz)	Typical : 16 W Maximum : 23W
Weight	Packed:Starting at 4.10 kg Unpacked:Starting at 2.60 kg	Weight (Including Stand) : 3.3kg
Warranty	3 Year Onsite	3 Year Onsite
SRP(inc.VAT)	2,790.-	3,190.-


D27-40
LNV-67A3KAC6TH

G24-20
LNV-66CFGAC1TH

Display	27" WLED VA	23.8" WLED IPS (In-Plane Switching)
Resolution	FHD (1920 x 1080)	FHD (1920 x 1080)
Aspect Ratio	16:9	16:9
Brightness	250cd/m2	Typical : 350 cd/m2
Color Gamut	72% NTSC	72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million	16.7 Million
Response Time	4 ms (LV4) / 5 ms (LV3) / 6 ms (LV2) / 7 ms (LV1) / 19 ms (Off)	1ms(LV1),2ms(LV2),3ms(LV3),4ms (LV4),5ms (off),0.5ms(MPRT)2
Anti-Glare	Yes	Yes
Connectivity	Video Connector : 1x HDMI® 1.4, 1x VGA (Support HDMI Cable In Box)	Video Signal : 2 x HDMI 2.0 + 1 x DisplayPort 1.4 Audio Signal : 1 x Audio-Out (35mm.) Tilt Angle : front : -5° / 22°
Power Supply	Internal	Internal
Power Voltage	Typical : 20 W Maximum : 28W	AC 100 - 240 VAC (50/60 Hz)
Weight	Weight (Including Stand) : 4.8 kg	Packed : Starting at 7.30 kg Unpacked : Starting at 5.30 kg
Warranty	3 Year Onsite	3 Year Onsite
SRP(inc.VAT)	4,190.-	5,090.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัทของสนธิสินการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

Lenovo Display Monitor

กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง

Lenovo



G27q-30
LNV-66E8GAC2TH

Display	27" WLED VA
Resolution	QHD (2560 x 1440)
Aspect Ratio	16:9
Brightness	350nits
Color Gamut	99% sRGB, 90% DCI-P3
Contrast Ratio	3000:1
Display Colors	16.7 Million
Response Time	1ms(MPRT1),4ms(Level 4), 5ms(LV 3),6ms (LV 2), 7ms (LV 1)
Anti-Glare	Yes
Connectivity	Video Connector : 2x HDMI® 2.0, 1x DP 1.4 Speaker: 2 x 3W (Support DP Cable In Box)
Power Supply	
Power Voltage	Typical : 24W Max : 65W
Weight	Weight (Including Stand) : 5.8kg
Warranty	3 Year Onsite
SRP(inc.VAT)	7,990.-



L32p-30
LNV-66C9UAC1TH

Display	31.5" WLED IPS (In-Plane Switching_3-side NearEdgeless)
Resolution	4K (3840 x 2160)
Aspect Ratio	16:9
Brightness	350cd/m2
Color Gamut	90% DCI-P3
Contrast Ratio	Typical 1000:1 Dynamic 3M:1
Display Colors	1.07 Billion
Response Time	Extreme Mode : 4 ms Typical Mode : 6 ms
Anti-Glare	Yes
Connectivity	Video Signal : •1 x USB Type-C1 Gen1•(DP1.2 Alt Mode) •1 x HDMI 2.0 •1 x DP 1.2Audio Signal : 1 x Audio Out (3.5mm)
Power Supply	Internal
Power Voltage	100--240VAC (50-60 Hz)
Weight	Packed:Starting at 10.40 kg Unpacked:Starting at 7.8 kg
Warranty	3 Year Onsite
SRP(inc.VAT)	9,890.-



Q24h-10
LNV-66A8GAC6TH



Q27h-20
LNV-66EDUAC1TH

Display	23.8" WLED IPS (In-Plane Switching)	27" WLED IPS (In-Plane Switching)
Resolution	QHD (2560 x 1440)	QHD (2560 x 1440)
Aspect Ratio	16:9	16:9
Brightness	300 cd/m2	350cd/m2
Color Gamut	99% sRGB	99% sRGB (Coverage Ratio)128% sRGB (Color Area Ratio)
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million	1.07 Billion
Response Time	Extreme Mode : 4 ms Typical Mode : 6 ms	4ms (LV4), 5ms (LV 3),6ms (LV 2), 7ms (LV 1),14ms (Off Mode)
Anti-Glare	Yes	Yes
Connectivity		
Power Supply		
Power Voltage		Typical : 26W Max : 150W
Weight	Packed:Starting at 6.61 kg Unpacked:Starting at 4.68 kg	Packed:Starting at 9.3 kgUnpacked:Starting at 6.3 kg
Warranty	3 Year Onsite	3 Year Onsite
SRP(inc.VAT)	10,590.-	10,990.-

Xiaomi : Monitor


**Xiaomi Monitor A22i
(48341)**

XMI-ELA5230EU


เสียวที่มี เดสก์ท็อปมอนิเตอร์รุ่น A22i ขนาด 21.45"

มาพร้อมหน้าจอแบบ IPS รองรับความละเอียดแบบ 1920x1080 (FullHD)
มุมมองสูงสุด 178 องศา
Aspect Ratio 16:9/Refresh rate 75Hz ความสว่างสูงสุด 250 nits
Port : 1 x HDMI1.4 , 1 x VGA, 1 x DC ขนาดช่อง Wall Mount 75 x 75 มม.
Tuv Low Blue Light Certificate
ปรับกัม/เบย ได้ -5/21 องศา ตามลำดับ
ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
ขนาด 49.3 x 16.5 x 37.6 เซนติเมตร
น้ำหนัก 2.2 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ ,ขาตั้ง ,ฐาน , แอปเปเตอร์ ,สาย HDMI ยาว 1.5 เมตร,ไขควง, คู่มือ

**Mi Desktop Monitor
1C 23.8"**

XMI-BHR4510GL


มาพร้อมหน้าจอแบบ IPS
รองรับความละเอียดแบบ 1920x1080 (FullHD)

มุมมองสูงสุด 178 องศา
Aspect Ratio 16:9/Refresh rate 60Hz/6ms response time แบบ GtG
Contrast 1000 : 1/Port : 1xHDMI1.4 , 1xVGA
Flicker Free & Low Blue Light Technology
ปรับกัม/เบย ได้ 5/15 องศา ตามลำดับ
ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
ขนาด 53.92 x 41.95 x 18.12 เซนติเมตร
น้ำหนัก 2.7 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ ,ขาตั้ง ,ฐาน ,สายไฟ ,สาย HDMI,ไขควง, สกรูฐาน 1 ตัว, สกรูขาตั้ง 2 ตัว , คู่มือ

SRP(inc.VAT) 2,790.-

3,390.-

**Xiaomi Monitor A27i
(51054)**

XMI-ELA5345EU

New


เสียวที่มี เดสก์ท็อปมอนิเตอร์รุ่น A27i ขนาด 27 นิ้ว

มาพร้อมหน้าจอแบบ IPS | มุมมองสูงสุด 178 องศา
ความละเอียด 1920x1080 (FullHD) รองรับ HDR 10
Aspect Ratio 16:9 Refresh rate 100Hz | G to G Response time: 6 ms
Contrast 1000 : 1 | ความสว่าง: 250 nits
Color Gamut: 99% sRGB | Color Accuracy: Delta E<2
Tuv Rheinland Low Blue Light Certificate ปรับกัม/เบย ได้ -5 - 15 องศา
ดีไซน์แบบ 3-Way Borderless Display ลดขอบจอเพื่อการรับชมที่เต็มตา
พร้อมความบางเพียง 7.5 มม.
Port : 1 x HDMI 2.0, 1 x Display Port, 1 x DC Jack
ขนาด Vesa Mount: 75 x 75 ขนาดรวมฐาน 61.23 x 17 x 45.17 เซนติเมตร
ขนาดไม่รวมฐาน 61.23 x 3.73 x 36.16 เซนติเมตร น้ำหนัก 3.6 กิโลกรัม
อุปกรณ์ในกล่อง
ตัวจอ ,ขาตั้ง ,ฐาน ,แอปเปเตอร์ ,สาย HDMI ยาว 1.5 เมตร ,ชุดสกรู , คู่มือ

**Xiaomi Curved Gaming
Monitor 30" (34103)**

XMI-BHR5116GL


เสียวที่มี เกมมิ่งมอนิเตอร์จอโค้ง ขนาด 30 นิ้ว

องศาความโค้ง: 1800R
ความละเอียด: 2560 x 1080 WFHD
อัตราส่วนจอภาพ: 21: 9
รีเฟรชเรต: 200Hz
Contrast: 3000:1
แสดงผล : 99% sRGB color gamut, 16.7 ล้านสี
ความสว่าง : 300nits
Port: DC in x1, HDMI 1.4 x1, HDMI 2.1 x1, DP 1.2 x1, Audio x1
ขนาด : 70.7 x 20.2 x 43.8 ซม.
น้ำหนัก : 4.88 กิโลกรัม
รองรับ AMD FreeSync Premium
ได้รับมาตรฐานการลดการแผ่รังสีไฟฟ้าจาก TuV Rheinland
ขอบบาง 3 ด้าน เพื่อแสดงผลได้อย่างเต็มตา

SRP(inc.VAT) 3,790.-

7,990.-

AOC Monitor

AOC®



AOC-27B2H/67



AOC-24B1H2/67

PANEL	27" (IPS)	23.6" (VA)
PIXEL PITCH (MM)	0.3114 (H) × 0.3114 (V)	0.2715 (H) × 0.2715 (V)
BRIGHTNESS (TYPICAL)	250 cd/m ²	250 cd/m ²
CONTRAST RATIO	1000 : 1 (Typical) 20 Million : 1 (DCR)	3000 : 1 (typical) 20 Million : 1 (DCR)
RESPONSE TIME	8ms (GtG (BW))	8ms
DISPLAY COLORS	16.7 Million	16.7 Million
SIGNAL INPUT	VGA × 1, HDMI 1.4 × 1	VGA × 1, HDMI 1.4 × 1
USB HUB	no	no
POWER SUPPLY	19V DC, 1.31A	19VDC, 1.31A
SPEAKERS	no	no
PRODUCT WITH STAND (MM)	456.39 (H) × 612.14 (W) × 182.95(D)	492 (H) × 614 (W) × 131 (D)
PRODUCT WITH STAND (KG)	3.6	3.76
CABINET COLOR	Black	Black
Warranty	3 Years - On-site pick-up	3 Years - On-site pick-up
SRP(inc.VAT)	4,910.-	3,950.-



AOC-24G2SE/67



AOC-C32G3E/67

PANEL	23.8" (VA)	31.5" (VA)
PIXEL PITCH (MM)	0.2745 (H) × 0.2745 (V)	0.36375 (H) × 0.36375(V)
BRIGHTNESS (TYPICAL)	350 cd/m ²	250 cd/m ²
CONTRAST RATIO	3500 : 1 (Typical) 80 Million : 1 (DCR)	3000 : 1 (Typical) 80 Million : 1 (DCR)
RESPONSE TIME	1ms (MPRT) /4ms (GtG)	1ms (MPRT) / 4ms (GtG)
DISPLAY COLORS	16.7 Million	16.7 Million
SIGNAL INPUT	VGA × 1 / HDMI 1.4 × 2 / DisplayPort 1.2 × 1	HDMI 1.4 × 2, DisplayPort 1.2 x 1
USB HUB	no	no
POWER SUPPLY	100 - 240V 1.5A, 50 / 60Hz	100 - 240V ~ 1.5A, 50 / 60Hz
SPEAKERS	no	no
PRODUCT WITH STAND (MM)	421 (H) × 539.05 (W) × 227.4 (D)	523.7 (H) × 700.5 (W) × 263.8 (D)
PRODUCT WITH STAND (KG)	3.7	6.75
CABINET COLOR	Black & Red	Black & Red
Warranty	3 Years - On-site pick-up	3 Years - On-site pick-up
SRP(inc.VAT)	5,580.-	8,490.-



AOC-Q32V3S/WS/67



AOC-U28P2U/BS/67

PANEL	31.5" (IPS)	28" (IPS)
PIXEL PITCH (MM)	0.273 (H) × 0.273 (V)	0.16 (H) × 0.16 (V)
BRIGHTNESS (TYPICAL)	250 cd/m ²	300 cd/m ² (typical)
CONTRAST RATIO	1200:1 (Typical) 20 Million : 1 (DCR)	1000 : 1 (Typical) 50 Million : 1 (DCR)
RESPONSE TIME	4ms (GtG)	4ms (GtG)
DISPLAY COLORS	16.7 Million	1.07 Billion
SIGNAL INPUT	HDMI 1.4 x 1, DisplayPort 1.2 x 1	HDMI 2.0 × 2, DisplayPort 1.2 × 1
USB HUB	no	USB3.2 Gen1 × 4
POWER SUPPLY	100 - 240V~1.5A, 50 / 60Hz	100 - 240V ~ 1.5A, 50 / 60Hz
SPEAKERS	no & Earphone Out	no
PRODUCT WITH STAND (MM)	531.6 (H) × 730.2 (W) × 205.4 (D)	404~534 (H) × 636.42 (W) × 200.1 (D)
PRODUCT WITH STAND (KG)	6.79	6.76
CABINET COLOR	White & Silver	Black & Grey
Warranty	3 Years - On-site pick-up	3 Years - On-site pick-up
SRP(inc.VAT)	8,550.-	11,730.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัทของสนงสิทธิในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว