

ACER : Tower Servers

* Service by Acer Care เฉพาะกรุงเทพฯ & ปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย



Altos BrainSphere™ T350F5

ACR-USRU3TL007

CPU	1 x Intel® Xeon® Silver 4310T Processor (15M Cache, 2.30 GHz) 10 Core
Memory	16GB (1x16GB) DDR4-3200 ECC RDIMM
Expansion Slots	6 x PCI-E 4.0 x16 2 x M.2 2280/22110 slot (w/PCIe 4.0)
Harddisk	2 x 2.5" 480GB SATA SSD
Chipset	Intel® C621A
RAID Controller	Integrated SATA RAID supports RAID 0, 1, 5, 10 on Windows® OS only
Max. # Internal Disks supports	8 x SAS/SATA hot-swappable bays for HDD/SSD
Optical device	Yes
Onboard Gigabit Ethernet	Dual 1GbE LAN
Redundant Power Supply	Yes (800W 1+1 redundant power supply)
Form Factor	Tower or Rackmount (optional via rackmount kit)
OS Support (Not Provide OS)	Window Server 2022, 2019 Red Hat® Enterprise Linux® 9.0, 8.2, 7.9
Mouse	Altos USB Mouse
Keyboard	Altos USB Keyboard
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand
SRP (inc. VAT)	125,190.-

HPE : Tower Servers

Server HP มี Onsite Service ทั่วประเทศ สอบถามรายละเอียดโทร. 02-844-9622



ProLiant ML30 Gen11

KIT-ML30-G11-P2



ProLiant ML30 Gen11

KIT-ML30-G11-P5

Processor type	Intel® Xeon® E-2414 (4 core, 2.6 GHz, 55W)	Intel® Xeon® E-2434 (4 core, 3.4 GHz, 55W)
CPU Min., max	1 Processors	1 Processors
CPU Cache	12 MB	12 MB
Memory	16 GB (1x16 GB UDIMM, 4800 MT/s)	16 GB (1x16 GB UDIMM, 4800 MT/s)
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	4 PCIe: x16/x4/x4/x4	4 PCIe: x16/x4/x4/x4
Harddisk	1x1TB SATA HDD (4LFF Chassis Non Hot Plug)	None ship standard, 8 SFF supported
RAID Controller	Embedded Intel VROC SATA software RAID	Embedded Intel VROC SATA software RAID
Optical Drive	None ship standard; ODD Optional	None ship standard; ODD Optional
Total, Hotswap	Non-hot plug HDD Bays	8 SFF supported
Max, Internal disks	4LFF Chassis	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
Gigabit Ethernet	Embedded 1Gb 4-Port Ethernet Adapter	Embedded 1Gb 4-Port Ethernet Adapter
Power Supply	1x HPE ML30 Gen10 Plus 350W FIO Power Supply Kit	1x HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
Form Factor	Tower 4U	Tower 4U
OS Support	Microsoft Windows Server เท่านั้น	Microsoft Windows Server เท่านั้น
Warranty	3/1/1 NBD (Limite Warranty)	3/1/1 NBD (Limite Warranty)
Warranty	HPE 3y FC NBD ML30 Gen10 SVC	HPE 3y FC NBD ML30 Gen10 SVC
Add On	"1xHPE 1TB SATA 7.2K LFF RW MV HDD HPE 3 Year Tech Care Basic ML30 Gen11 HW Service"	"3xHPE 480GB SATA RI SFF BC MV SSD 1xHPE 500W FS Plat Ht Plg LH Pwr Sply Kit HPE 3 Year Tech Care Basic ML30 Gen11 HW Service"
SRP (inc. VAT)	69,122.-	101,329.-

DELL : Tower Servers

DELL Technologies



Dell PowerEdge T350

DEL-SnST350A



Dell PowerEdge T350

DEL-SnST350B



Dell PowerEdge T350

DEL-SnST350C

Form Factor	3.5" Chassis up to 8 Hot Plug Hard Drives, TPM 2.0 V3	3.5" Chassis up to 8 Hot Plug Hard Drives, TPM 2.0 V3	3.5" Chassis up to 8 Hot Plug Hard Drives, TPM 2.0 V3
Processor	Intel® Xeon® E-2334	Intel® Xeon® E-2334	Intel® Xeon® E-2336
Processor Speed / Core	3.4GHz, 8M Cache, 4C/8T, Turbo (65W), 3200 MT/s	3.4GHz, 8M Cache, 4C/8T, Turbo (65W), 3200 MT/s	2.9GHz, 12M Cache, 6C/12T, Turbo (65W), 3200 MT/s
Memory	16GB (1x16GB) UDIMM, 3200MT/s, ECC	16GB (1x16GB) UDIMM, 3200MT/s, ECC	16GB (1x16GB) UDIMM, 3200MT/s, ECC
Network	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM
Hard disk Group#1	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD,	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD,	2x 600GB Hard Drive SAS 12Gbps 10k 512n 2.5in with 3.5in HYB CARR Hot-Plug
Hard disk Group#2	3x 4TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-plug Hard Drive	N/A	N/A
RAID Controller	PERC H755 Controller Adapter Full Height, Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 Controller Adapter Full Height, Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 Controller Adapter Full Height, Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal
Power Supply	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W	Dual, Hot-Plug, Redundant Power Supply (1+1), 600W
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	118,871	99,428	96,134



Dell PowerEdge T350

DEL-SnST350D



Dell PowerEdge T350

DEL-SnST350E



PowerEdge T550

DEL-SnST550A

Form Factor	3.5" Chassis up to 8 Hot Plug Hard Drives, TPM 2.0 V3	3.5" Chassis up to 8 Hot Plug Hard Drives, TPM 2.0 V3	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 1 CPU + 1 GPU Riser, TPM 2.0 V3
Processor	Intel® Xeon® E-2336	Intel® Xeon® E-2336	1 x Intel® Xeon® Silver 4310T
Processor Speed / Core	2.9GHz, 12M Cache, 6C/12T, Turbo (65W), 3200 MT/s	2.9GHz, 12M Cache, 6C/12T, Turbo (65W), 3200 MT/s	2.3G, 10C/20T, 10.4GT/s, 15M Cache, Turbo, HT (105W) DDR4-2666
Memory	16GB (1x16GB) UDIMM, 3200MT/s, ECC	16GB (1x16GB) UDIMM, 3200MT/s, ECC	16GB (1x 16GB) RDIMM, 3200MT/s, Dual Rank
Network	On-Board Broadcom 5720 Dual Port 1Gb LOM	On-Board Broadcom 5720 Dual Port 1Gb LOM	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0
Hard disk Group#1	2x 2TB Hard Drive SATA 6Gbps 7.2K 512n 3.5in Hot-Plug	2x 4TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-plug Hard Drive	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD,
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 Controller Adapter Full Height, Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 Controller Adapter Full Height, Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	DVD+/-RW, SATA, Internal	DVD+/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
Power Supply	Dual, Hot-plug, Redundant Power Supply 1+1, 495W	Dual, Hot-plug, Redundant Power Supply 1+1, 495W	Dual, Hot-plug, Redundant Power Supply (1+1), 800W
System Management	iDRAC9 Enterprise with OpenManage Enterprise Advanced	iDRAC9 Enterprise with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	96,835	100,488	168,869

DELL : Tower Servers

DELL Technologies



PowerEdge T550

DEL-SnST550B



PowerEdge T550

DEL-SnST550C



PowerEdge T550

DEL-SnST550D

Form Factor	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 1 CPU + 1 GPU Riser, TPM 2.0 V3	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 1 CPU + 1 GPU Riser, TPM 2.0 V3	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 2 CPU + No PCIe Rise, TPM 2.0 V3
Processor	1 x Intel® Xeon® Silver 4310T	2 x Intel® Xeon® Silver 4314	2 x Intel® Xeon® Gold 6326
Processor Speed / Core	2.3G, 10C/20T, 10.4GT/s, 15M Cache, Turbo, HT (105W) DDR4-2666	2.4G, 16C/32T, 10.4GT/s, 24M Cache, Turbo, HT (135W) DDR4-2666	2.9G, 16C/32T, 11.2GT/s, 24M Cache, Turbo, HT (185W) DDR4-3200
Memory	16GB (1x 16GB) RDIMM, 3200MT/s, Dual Rank	32GB (2x 16GB) RDIMM, 3200MT/s, Dual Rank	32GB (2x 16GB) RDIMM, 3200MT/s, Dual Rank
Network	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0
Hard disk Group#1	2x 2TB 7.2K RPM NLSAS 12Gbps 512n 3.5in Hot-Plug Hard Drive	4x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD,	4x 2.4TB 10K RPM SAS ISE 12Gbps 512e 2.5in Hot-plug Hard Drive, 3.5in HYB CARR
Hard disk Group#2	N/A	N/A	N/A
RAID Controller	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 800W	Dual, Hot-plug, Redundant Power Supply (1+1), 1100W	Dual, Hot-Plug, Power Supply Redundant (1+1), 1400W
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	170,091	240,734	326,857



PowerEdge T550

DEL-SnST550B



PowerEdge T550

DEL-SnST550F

Form Factor	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 2 CPU + No PCIe Rise, TPM 2.0 V3	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 1 CPU + 1 GPU Riser, TPM 2.0 V3
Processor	2 x Intel® Xeon® Gold 6326	1 x Intel® Xeon® Silver 4310T
Processor Speed / Core	2.9G, 16C/32T, 11.2GT/s, 24M Cache, Turbo, HT (185W) DDR4-3200	2.3G, 10C/20T, 10.4GT/s, 15M Cache, Turbo, HT (105W) DDR4-2666
Memory	32GB (2x 16GB) RDIMM, 3200MT/s, Dual Rank	16GB (1x 16GB) RDIMM, 3200MT/s, Dual Rank
Network	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0
Hard disk Group#1	4x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD"	2x 4TB 7.2K RPM NLSAS ISE 12Gbps 512n 3.5in Hard Drive
Hard disk Group#2	N/A	N/A
RAID Controller	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
Power Supply	Dual, Hot-Plug, Power Supply Redundant (1+1), 1400W	Dual, Hot-plug, Redundant Power Supply (1+1), 800W
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	326,681	173,369