



SAMSUNG : Smart Signage

SAMSUNG



Group	Category	Brightness	S/W	Model	Model name	Retail Price (inc.VAT)
 Video Wall	3.5mm bezel-to-bezel	500	x	LH46VMBUBGBXXT	VM46B-U	159,000.00
		500	x	LH55VMBUBGBXXT	VM55B-U	189,000.00
	1.8mm bezel-to-bezel	500	x	LH55VMBEBGBXXT	VM55B-E	259,000.00
		700	x	LH55VHBEBGBXXT	VH55B-E	299,000.00
	0.88mm bezel-to-bezel	700	x	LH55VMBRBGBXXT	VM55B-R	319,000.00
				LH55VHRRBGBXXT	VH55R-R	359,000.00
				WMN-46VD	WMN-46VD	15,000.00
				WMN-55VD	WMN-55VD	15,000.00
 Interactive	16/7 Small Touch screen (Captive)	250	Tizen 4.0/MagicInfo S	LH13QBRTBGCXXT	QB13R-T	40,000.00
		250	Tizen 4.0/MagicInfo S	LH24QBRTBGCXXT	QB24R-T	45,000.00
	Signage Touch screen (Capacitive)	300	MagicInfo S6	LH32QMRTBGCXXT	QM32R-T	69,900.00
		400	MagicInfo S6	LH43QMBTBGCXXT	QB43R-T	109,000.00
		400	MagicInfo S6	LH55QMRTBGCXXT	QM55R-T	159,000.00
	Flip Board Touch screen (F-IR)	300	Flip S/W	LH55WMBWBGCXXT	WM55B	109,000.00
		350	Flip S/W	LH65WMBWBGCXXY	WM65B	179,900.00
		350	Flip S/W	LH75WMBWLGXCXT	WM75B	199,900.00
		350	Flip S/W	LH85WMAWLGXCXT	WM85A	450,000.00
 Outdoor	Semi outdoor (for Indoor only)	4000	Magic Info S6	LH55OMNSLGB/XT	OM55N	159,000.00
		3000/1000	Magic Info S6	LH55OMNDPGB/XT	OM55N-D	579,000.00
		more than 2500	na.	LH55OHAESGBXXT	OH55A	359,000.00
		3300	Magic Info S6	LH75OHAESGBXXY	OH75A	659,000.00
 Stand Alone : Stretch	Stretch 24/7	700	MagicInfo S6	LH37SHRBBGBXXT	SH37B	45,000.00
 Stand Alone : QB Series 16/7 hr Brightness 350 nit	16/7	300	Tizen 4.0/MagicInfo S	LH13QBREBGCXXT	QB13R	25,900.00
		300	Tizen 4.0/MagicInfo S	LH24QBRBBGCXXY	QB24R-B	33,900.00
				LH43QBBEBGCXXT	QB43B	49,900.00
				LH50QBBEBGCXXT	QB50B	64,900.00
				LH55QBBEBGCXXT	QB55B	75,900.00
				LH65QBBEBGCXXY	QB65B	95,900.00
				LH75QBBEBGCXXY	QB75B	189,000.00
				LH85QBRBBGCXXY	QB85R-B	229,000.00
 Series 24/7 hr Brightness 500 nit	24/7 with MagicInfo S6	400	MagicInfo S6	LH32QMRBBGCXXT	QM32R-B	37,500.00
	24/7 with MagicInfo S6	500	MagicInfo S6	LH43QMCEBGCXXT	QM43C	57,900.00
		500	MagicInfo S6	LH50QMCEBGCXXT	QM50C	79,000.00
		500	MagicInfo S6	LH55QMCEBGCXXT	QM55C	99,000.00
		500	MagicInfo S6	LH65QMCEBGCXXT	QM65C	129,000.00
		500	MagicInfo S6	LH75QMCEBGCXXT	QM75C	209,000.00
		500	MagicInfo S6	LH85QMRBBGCXXT	QM85R-B	359,000.00
		500	MagicInfo S6	LH98QMTBPGCXXY	QM98T	850,000.00
 Stand Alone : QH Series 24/7 hr Brightness 700 nit		700	MagicInfo S6	LH43QHBEGBGCXXY	QH43B	59,000.00
		700	MagicInfo S6	LH50QHBEGBGCXXY	QH50B	79,900.00
		700	MagicInfo S6	LH55QHBEGBGCXXT	QH55B	109,000.00
		700	MagicInfo S6	LH65QHBEGBGCXXY	QH65B	149,000.00
		700	MagicInfo S6	LH75QHBEGBGCXXY	QH75B	249,000.00





























MAXHUB : IFP & SIGNAGE


MAXHUB

Picture	P/N	Site	Description	Warranty	SRP (inc. VAT)
V7 Series					
	MXH-V5550	55"	- Professional 4K Display- High color accuracy, wide color gamut, and anti-glare screen. - BYOM- Join meetings anytime via MAXHUB Share app or wire-less dongle.	3 Years	88,900.-
	MXH-V6550	65"	- Precision Touch- Intelligent touch with Windows Ink support for a smooth writing experience. - Smart Whiteboard- Real-time annotation and collaboration.		128,900.-
	MXH-V7550	75"	- Powerful Sound- 2.1 channel with 2x10W + 20W speakers for immersive audio. -Extended Audio Reach- 16-mic array with 15-meter pick-up range and AI-enhanced sound.		182,100.-
	MXH-V8650	86"	- Advanced Triple Camera- Three 50MP cameras with 5x hybrid zoom and ultra-wide FOV.		253,200.-
V6 ViewPro					
	MXH-V6530	65"	- High-Quality Camera - 48MP + 8MP dual cameras with 3x optical zoom and WDR auto-framing for clear images even in challenging lighting. - Integrated System - Built-in camera, microphone, and touch panel for seamless collaboration.	3 Years	110,000.-
	MXH-V8630	86"	- Auto Speaker-Tracking - Camera tracks speakers automatically to simulate face-to-face interactions. - Healthcare Focus - Antibacterial glass, stylus, and power button for enhanced safety.		226,000.-

MAXHUB : LED Wall

Picture	P/N	Site	Description	Warranty	SRP (inc. VAT)
All-in-one LED Wall					
	120/138/150/165/220		- All-in-one functionality in an ultra-ightweight, ultra-thin MAXHUB Interactive LED package. - Super-Simple, Streamlined Technology Spend less time setting up and more time collaborating. - The Raptor Series Integrated LED Wall solution ensures exceptional audio quality with studio-grade, professionally tuned clarity every time. - Ensure seamless connections through the most up-to-date operating systems and built-in sharing features.	2 Years	Call
Customize LED Wall					
	MXH-GV2712	1.2	16:9, 610*343*31mm/cabinet, Cabinet resolution 480 x 270	2 Years	Call
	MXH-GV2715	1.5	16:9, 610*343*31mm/cabinet, Cabinet resolution 384 x 216		
	MXH-GV2719	1.9	16:9, 610*343*31mm/cabinet, Cabinet resolution 320 x 180		
	MXH-GV2725	2.5	16:9, 610*343*31mm/cabinet, Cabinet resolution 240 x 135		
	MXH-GH3125	2.5	4:3, 640*480*31mm/cabinet, Cabinet resolution 256 x 192		

HISENSE : Digital Signage					Hisense		
Picture	P/N	ITEM.	Model name	Size(inch)	Description	Warranty	SRP (inc. VAT)
New Interactive board_Camera Option (เลือกกล้อง)							
	HSN-65MR6DE-E	HIDB	65MR6DE-E	65	UHD IR Touch: OS Android 13 Built-in , Google EDLA Certification Camera Optional	3 Years Onsite	106,000.-
	HSN-75MR6DE-E	HIDB	75MR6DE-E	75		3 Years Onsite	140,000.-
	HSN-86MR6DE-E	HIDB	86MR6DE-E	86		3 Years Onsite	160,000.-
<div><div>4K Ultra HD Panel / 4K UI The 4K Ultra HD picture quality ensures perfect colour and rich details in all possible surroundings. In addition to the 4K screen as always, we bring a 4K user interface for the Gboard. With the 4K UI, we can use this clear and bright screen to provide the most beautiful imagery.</div><div>Smart Power A built-in ambient light sensor automatically adjusts the screen brightness according to current light conditions. This display is Energy Star certified to help you protect the environment and save costs.</div><div>Google Integration With Google Education, Gboard enables users to easily access Google applications such as Google Classroom, Google Chrome, Play Store, Gmail, Google Drive, Google Docs, etc. This helps teachers save time managing their classroom and assignments.</div><div>Smooth and Speedy Processing Further system upgrade! With Android 13.0 system and user-friendly interface, the open Android 13.0 platform not only guarantees smooth processing, but also supports the installation of Android-based applications.</div><div>Smart whiteboard Gboard uses high-level touch to restore natural writing habits by enabling pen tip writing, cap-erasing, finger moving objects and palm erasing, while also providing teachers and students with a wide range of teaching tools such as protractors, triangles and rulers.</div><div>Wireless transmission Gboard supports Webcast, Miracast, DUNA, USB-C & -A dongle transfer, HisenseShare, etc. Dual WiFi modules simultaneously support a screen-sharing hotspot and Wi-Fi network connection. With low image latency, you'll enjoy a faster, more stable connection and a superb screen-sharing experience.</div><div>Dolby Atmos Movies, TV shows, sports, music – the entertainment you love is even better when you hear it in Dolby Atmos. Its crystal clarity, easy-to-hear dialogue, great detail, and realistic surround-sound effects all come together to dial up the impact of your favourite scenes and events.</div><div>Eye comfort Certified by TÜV Rheinland, Hisense Gboard has been proven to effectively protect your eyes by reducing the blue light ratio, even after long times looking at this screen.</div></div>							
New Interactive board_Built-in Camera (กล้องในตัว)							
	HSN-65MR6DE	HIDB	65MR6DE	65	UHD IR Touch: OS Android 13 Built-in , Google EDLA Certification Camera Built-in	3 Years Onsite	130,000.-
	HSN-75MR6DE	HIDB	75MR6DE	75		3 Years Onsite	170,000.-
	HSN-86MR6DE	HIDB	86MR6DE	86		3 Years Onsite	200,000.-
<div><div>4K Ultra HD Panel / 4K UI The 4K Ultra HD picture quality ensures perfect colour and rich details in all possible surroundings. In addition to the 4K screen as always, we bring a 4K user interface for the Gboard. With the 4K UI, we can use this clear and bright screen to provide the most beautiful imagery.</div><div>Smart Power A built-in ambient light sensor automatically adjusts the screen brightness according to current light conditions. This display is Energy Star certified to help you protect the environment and save costs.</div><div>Google Integration With Google Education, Gboard enables users to easily access Google applications such as Google Classroom, Google Chrome, Play Store, Gmail, Google Drive, Google Docs, etc. This helps teachers save time managing their classroom and assignments.</div><div>Smooth and Speedy Processing Further system upgrade! With Android 13.0 system and user-friendly interface, the open Android 13.0 platform not only guarantees smooth processing, but also supports the installation of Android-based applications.</div><div>Smart whiteboard Gboard uses high-level touch to restore natural writing habits by enabling pen tip writing, cap-erasing, finger moving objects and palm erasing, while also providing teachers and students with a wide range of teaching tools such as protractors, triangles and rulers.</div><div>Wireless transmission Gboard supports Webcast, Miracast, DUNA, USB-C & -A dongle transfer, HisenseShare, etc. Dual WiFi modules simultaneously support a screen-sharing hotspot and Wi-Fi network connection. With low image latency, you'll enjoy a faster, more stable connection and a superb screen-sharing experience.</div><div>Dolby Atmos Movies, TV shows, sports, music – the entertainment you love is even better when you hear it in Dolby Atmos. Its crystal clarity, easy-to-hear dialogue, great detail, and realistic surround-sound effects all come together to dial up the impact of your favourite scenes and events.</div><div>Integrated 4K camera The integrated 4K GOBOARD camera is designed with a physical cover and a working light to ensure the privacy of attendees.</div></div>							
Digital Signage							
	HSN-100BM66D	Digital Signage	100BM66D	100	100" UHD/500 nits/ 7*24/ Android 9.0	3 Years Onsite	171,200.-
<div><div>Wireless Screen Sharing Everything you need for screen sharing solutions, Hisense Share is a in-house built-in screen sharing application that enables the screen sharing seamlessly and securely from any device, anytime, anywhere.</div><div>Landscape & portrait Supports both landscape and portrait orientations. Providing you with endless creative and functional possibilities to full your commercial or informational goals.</div><div>Round-the-clock operation Designed with dual-core System on Chip (SoC) technology, BM series is a reliable digital signage for providing both off-line and cloud-based content without disruption or downtime.</div><div>4K Ultra HD Delivers superior resolution that allows more details to be displayed on an image. The textures, the skin texture and the backgrounds everything is richer and more realistic.</div><div>Smart Power A built-in ambient light sensor automatically adjusts the screen brightness according to current light conditions. This display is Energy Star certified to help you protect the environment and save costs.</div><div>Content Management System VisioMedia is a cloud-based digital signage software solution which is flexible, cost-effective, and scalable in its nature. This will give you the freedom to add content as often as you'd like and make sure it looks great across all devices.</div><div>500 nits With 500 nits maximum brightness the display panels can deliver amazingly vivid imagery anywhere during daytime and nighttime conditions.</div><div>Anti-Glare Coating Offers higher haze value that helps with reflections without notably affecting the image quality.</div></div>							
LED Wall_AIO							
	HSN-HAIO136	LED Wall	All in one 136"	136	LED All in one 136" P 1.5 mm.	3 Years Onsite	1,500,000.-
	HSN-HAIO163	LED Wall	All in one 163"	163	LED All in one 163" P 1.875 mm.	3 Years Onsite	1,600,000.-
Software License							
Coming Soon!!!					Software License for Digital Signage		Call



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัท สวิส ดิสทริบิวชั่น จำกัด (มหาชน) ราคาส่ง
บริษัท สวิส ดิสทริบิวชั่น จำกัด (มหาชน) ราคาส่ง

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว
บริษัท สวิส ดิสทริบิวชั่น จำกัด (มหาชน) ราคาส่ง

LEYARD : LED Wall**LEYARD**

LEYARD

LED MEDIA TECHNOLOGY



จอประชาสัมพันธ์ อันดับ 1 ของโลก
 ตอบทุกโจทย์ ให้การสื่อสารของคุณล้ำหน้าและดึงดูดใจต่อผู้พบเห็น
 มีรุ่นรองรับ สำหรับ การติดตั้ง ภายในอาคาร ภายนอกอาคาร
 และ รูปแบบการนำเสนออื่นๆ เช่น ทรงกลม ทรงลูกบาศก์
 การเข้ามุมอาคาร รูปทรงคลื่น แบบกั้น และ แบบโปร่งใส พร้อมการรับประกันสินค้า 2 ปี



02-020-3000 leyard@sisthai.com สอบถามรายละเอียดได้ที่เซลล์ที่คุณดูแล

LG Hotel TV



	SiS Article no.	Model Name	Size	Description
LG Smart TV				
	LGE-75UR751C	4K UHD Smart TV	75"	รายละเอียดสินค้า 1) ระดับความละเอียด เป็นความละเอียดของจอภาพ (Resolution 3,840 x 2,160 (4K UHD)) (พีคเซล) 2) ขนาดที่กำหนดเป็นขนาดจอภาพ (นิ้ว) 3) แสดงภาพด้วยหลอดภาพ แบบ LED Backlight 4) สามารถเชื่อมต่ออินเตอร์เน็ตได้ (Smart TV) 5) เป็นระบบปฏิบัติการ webOS 6) ช่องต่อ HDMI ไม่น้อยกว่า 2 ช่อง เพื่อการเชื่อมต่อสัญญาณภาพและเสียง 7) ช่องต่อ USB ไม่น้อยกว่า 1 ช่อง รองรับไฟล์ภาพ jpeg และภาพยนตร์ 8) มีตัวรับสัญญาณดิจิตอล (Digital) ในตัว
	LGE-65UR751C	4K UHD Smart TV	65"	
	LGE-55UR751C	4K UHD Smart TV	55"	
	LGE-50UR751C	4K UHD Smart TV	50"	
	LGE-43UR751C	4K UHD Smart TV	43"	

LG Hotel TV

LG 4K UHD Smart TV with Pro:Centric Cloud

	LGE-75UM767H	4K UHD Smart TV - Resolution : 3,840 x 2,160 (4K UHD) - Pro:Centric Cloud - Pro:Centric Direct - Pro:Idiom	75"	Hospitality Solution "Solution Type : Pro:Centric (Smart, Cloud, Direct, V), webRTC, Quick Menu Pro:Idiom (DRM / Media) : Yes/ Yes"
	LGE-65UM767H		65"	Broadcasting System "Digital - DVB-T2/C Analog (NTSC / SECAM / PAL) - PAL Teletext (Auto Teletext) - Yes"
	LGE-55UM767H		55"	
	LGE-50UM767H		50"	
	LGE-43UM767H		43"	

LG 4K UHD Hospitality TV with Pro:Centric Direct

	LGE-65UM660H	"4K UHD Hospitality TV - Resolution : 3,840 x 2,160 (4K UHD) - Pro:Centric Cloud - Pro:Centric Direct - Slim Design - Voice Recognition - SoftAP	65"	Hospitality Solution "Solution Type : Pro:Centric (Smart, Cloud, Direct, V, Server), webRTC, Quick Menu (Customizable Portal) Pro:Idiom (DRM / Media) : Yes / Yes"
	LGE-55UM660H		55"	Broadcasting System "Digital (Terrestrial, Cable, Satellite) - DVB-T2/C Analog (NTSC / SECAM / PAL) - PAL Teletext (Auto Teletext) - Yes"
	LGE-50UM660H		50"	
	LGE-43UM660H		43"	

LG Digital Signage - Indoor

	SiS Article no.	Model Name	Size	Key Features	Brightness	Signage Software License	Operation Time
LG TV ทั้ง Signage (ติดตั้งแบบแขวนบนโต๊ะได้เท่านั้น)							
	LGE-86UR640S	TV Signage	86"	- Resolution : ULTRA HD (3,840 x 2,160) - Improved Design with Slim Depth - webOS-based High Performance - Easy Content Management/ Group - Management - SuperSign Control / CMS Compatibility	330 nit	LG SuperSign	16/7
	LGE-75UR640S	TV Signage	75"		330 nit	LG SuperSign	16/7
	LGE-65UR640S	TV Signage	65"		400 nit	LG SuperSign	16/7
	LGE-55UR640S	TV Signage	55"		400 nit	LG SuperSign	16/7
	LGE-50UR640S	TV Signage	50"		400 nit	LG SuperSign	16/7
	LGE-43UR640S	TV Signage	43"		300 nit	LG SuperSign	16/7

LG DIGITAL SIGNAGE MONITOR (INDOOR)

จอแสดงผลภายในอาคาร UH7J-H series ความสว่างที่แนะนำ 700 cd/m² เหมาะที่สุดสำหรับการใช้งานด้านการตลาด ประชาสัมพันธ์ต่างๆ ติดตั้งในสถานที่ ที่มีแสงจากภายนอกเข้าถึง

	LGE-65UH7N-E	UHD Signage Display 65"	65"	- Interface : HDMI(2) / DP / USB 2.0 / RS232C / RJ45 / Audio / IR - webOS Smart Platform	700 nit	LG SuperSign	24/7
	LGE-55UH7N-E		55"		700 nit	LG SuperSign	24/7
	LGE-49UH7N-E		49"		700 nit	LG SuperSign	24/7
	LGE-43UH7N-E		43"		700 nit	LG SuperSign	24/7

จอแสดงผลภายในอาคาร UH5J-H series ความสว่างที่แนะนำ 500 cd/m² เหมาะที่สุดสำหรับการใช้งานด้านการตลาดในห้องประชุม สโมสร ร้านค้าปลีก ห้างสรรพสินค้า

	LGE-98UH5J-H	New High Haze UHD Standard Signage	98"	- Depth : 60.6 mm - Interface : HDMI(3) / DP / DVI-D / USB 2.0 / RS232C / RJ45 / Audio / IR - Built-in Speaker - Internal Memory 16 GB, Built-in Wi-Fi	500 nit	LG SuperSign	24/7
	LGE-86UH5J-H		86"		500 nit	LG SuperSign	24/7
	LGE-75UH5J-H		75"		500 nit	LG SuperSign	24/7
	LGE-65UH5J-H		65"		500 nit	LG SuperSign	24/7
	LGE-55UH5J-H		55"	- Depth : 39.9 mm - Interface : HDMI(3) / DP / DVI-D / U+A24+G20	500 nit	LG SuperSign	24/7
	LGE-49UH5J-H		49"		500 nit	LG SuperSign	24/7
	LGE-43UH5J-H		43"		500 nit	LG SuperSign	24/7



SiS Distribution (Thailand) Public Company Limited
 TEL. 02-020-3000
 Email address : sis@sissthai.com






บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

LG Digital Signage - Indoor								
	SIS Article no.	Model Name	Size	Key Features	Bright-ness	Signage Software License	Operation Time	
LG DIGITAL SIGNAGE MONITOR (INDOOR)								
จอแสดงผลภายในอาคาร UM5N-H series ความสว่างที่แนะนำ 500 cd/m² เหมาะสมที่สุดสำหรับการใช้งานด้านการตลาดในห้องประชุม สนามบิน ร้านค้าปลีก ห้างสรรพสินค้า 2023 LG Narrow Bezel UDH Signage Display								
	LGE-65UM5N-H	UHD Signage Display	65"	‘- Depth : 39.9 mm - Interface : HDMI(3)/ DP/ DVI-D/ USB 2.0/ RS232C/ RJ45/ Audio/ IR - Built-in Speaker - Internal Memory 16 GB, Built-in Wi-Fi	500 nit	LG SuperSign	24/7	
	LGE-55UM5N-H		55"		500 nit	LG SuperSign	24/7	
	LGE-49UM5N-H		49"		500 nit	LG SuperSign	24/7	
	LGE-43UM5N-H		43"		500 nit	LG SuperSign	24/7	
จอแสดงผลภายในอาคาร UL3J-N series ความสว่างที่แนะนำ 330 cd/m² เหมาะสมที่สุดสำหรับการใช้งานที่แสงสว่างจากนอกเข้ามาไม่มาก เช่นห้องประชุม								
	LGE-75UL3J-B	UHD Standard Signage (Low-end)	75"	‘- Resolution : ULTRA HD (3,840 x 2,160) - webOS-based High Performance - Built-in Speaker - Compatible with LG's One:Quick Share - Compatible with AV Control Systems	330 nits	LG SuperSign	16/7	
	LGE-65UL3J-B		65"		400 nit	LG SuperSign	16/7	
	LGE-86UL3J-N		86"		330 nits	LG SuperSign	16/7	
	LGE-55UL3J-N		55"		400 nit	LG SuperSign	16/7	
	LGE-50UL3J-N		50"		400 nit	LG SuperSign	16/7	
	LGE-43UL3J-N		43"		300 nit	LG SuperSign	16/7	
จอแสดงผลภายในอาคาร SM5J/SM3G ขนาดเล็ก								
	LGE-32SM5J-B	Full HD Stand-ard Signage 32"	32"	"- Depth : 55.5 mm - Interface : HDMI(3) /USB 2.0/ RS232C/ RJ45/ IR / Audio Out - Built-in Speaker : 10W + 10W"	400 nit	LG SuperSign	24/7	
	LGE-22SM3G-B	Full HD Stand-ard Signage 22:	22"	"- Depth : 53.8mm - Interface : HDMI(2) / USB 2.0 / RS232C / RJ45 / IR / Audio - USB Plug & Play, Built-in Wi-Fi"	250 nit	LG SuperSign	24/7	
จอแสดงผลขนาดใหญ่ UM5J-B Model : UHD UHD Large Screen Signage Built-in Speakers, WiFi & Bluetooth®								
	LGE-110UM5J	UHD Large Screen Signage Display 110"	110"	"- Brightness : 500 nit (Typ.), 400 nit (Min.) - Resolution : ULTRA HD (3,840 x 2,160) - Built-in Wi-Fi / Bluetooth - Built-in Speaker (10 W + 10 W)"	500 nit (Typ.), 400 nit (Min.)	LG SuperSign +WebOS BOX	16/7	
	LGE-98UM5J	UHD Large Screen Signage Display 98"	98"			LG SuperSign +WebOS BOX	16/7	
LG WebOS Box								
	LGE-WP402	WebOS BOX		- LG webOS 4.0 Smart Signage Platform - Ultra HD Video Playback - Intuitive UX Dedicated for Digital Signage - Embedded CMS - Compatibility with LG SuperSign Solution and Signage 365 Care				
LG Super Sign Software-On Premise (One-Time)								
	LGE-LWSMB.AL	Super Sign Software License		เป็น Singae Software แบบ on local จำเป็นต้องมี Notebook หรือ PC เพื่อเป็น Server คลัง Spec Server อย่างต่ำที่สามารถใช้ได้ ขึ้นอยู่กับจำนวน Player CPU : Intel i3-6100 Memory : 4GB Operating System: Windows 7, Windows 8.1, Windows 10, Windows Server 2012 R2, Windows Server 2016				

LG VDO Wall



	SIS Article no.	Model Name	Category	Key Features	Bright-ness	Sinage Software License
LG DIGITAL SIGNAGE MONITOR (INDOOR)						
	LGE-55VSH7J-H	55" 700 nits FHD 0.44mm Even Bezel Video Wall	0.44mm	- Bezel : 0.44 mm (Even) - Depth : 86.5 mm - Interface : HDMI(2)/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR - Smart Calibration	700nit	1,100:1
	LGE-55VSM5J-H	55" 500 nits FHD 0.44mm Even Bezel Video Wall			500nit	1,100:1
	LGE-55VH7J-H	55" 700 nits FHD Slim Bezel Video Wall	1.8mm	- Bezel : 1.74mm (Panel Bezel to Panel Bezel), 1.3mm (T/L), 0.44mm (B/R) - Depth : 86.9 mm - Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR	700nit	1,000:1
	LGE-55VM5J-H	55" inch 55VM5J-H 500 Nits FHD Slim Bezel Video Wall			500nit	1,000:1
	LGE-55VL5F	55" 500 nits FHD Slim Bezel Video Wall	3.5mm	- Bezel : 2.25 mm (T/L), 1.25 mm (B/R) - Depth : 93.1 mm - Interface : HDMI (2)/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR	500nit	1,200:1
	LGE-55VL5PJ	55" 500 nits FHD Slim Bezel Video Wall		- Bezel : 2.25 mm (T/L), 1.25 mm (B/R) - Depth : 93.1 mm - Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR	500nit	1,200:1
	LGE-49VL5G-M	49" 500 nits FHD Slim Bezel Video Wall		- Bezel : 2.25 mm (T/L), 1.25 mm (B/R) - Depth : 89.7 mm - Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR	500nit	1,000:1

Dahua Audiovisual



	SIS Article	Description	Specifications	SRP (inc. VAT)
Smart Whiteboard				
	DHU-LPH65-MC480-U	65" Smart Whiteboard Android13 Cam48MP	DeepHub Pro Smart Interactive White-board Android 13 8-core A76*4+ A55*4 Ram 8 GB Rom 128 GB 48MP camera(AF,AE,AWB) 8 Microphone 2 Speaker 18W ** มีปากกาและเมมโม2ด้าน (ไม่ใช่ active pen) **	61,441.-
	DHU-LPH75-MC480-U	75" Smart Whiteboard Android13 Cam48MP		76,769.-
	DHU-LPH86-MC480-U	86" Smart Whiteboard Android13 Cam48MP		104,450.-
	DHU-PKC-MS0A	65"/75" Smart Whiteboard Mobile Stand		8,408.-
	DHU-PKC-MS1A	86" Smart Whiteboard Mobile Stand		9,701.-
	DHU-PKP-IP0A	Interactive Whiteboard Pencil	(Active pen) > Intelligent writing. > 2.4 GHz wireless technology, with a remote control distance of 15 m in open space. > Charging notification with red indicator. > Saves on energy by automatically switching to power saving mode when device is not in use.	1,617.-
	DHU-PKP-WP0B	Wireless Screen Sharing Cable (Type-C)		4,204.-
	DHU-SP-PI5C72IS	Detachable PC Module Gen12 I5 16G+ 256G	windows 11 pro system	34,270.-
	DHU-SP-PI7C72IS	Detachable PC Module Gen12 I7 16G+ 256G		38,800.-
Digital Signage				
	DHU-LDV43-SAI400K	43" Floor-standing Signage, Android 11	Overseas Dahua Screen Size: 43", 55", 65", 75" Indoor; Floor-standing; Resolution: 2160*3840(4K) Brightness: 320nit RAM/ROM: 4G/32G System: Android 11	41,455.-
	DHU-LDV55-SAI400K	55" Floor-standing Signage, Android 11		53,132.-
	DHU-LDV65-SAI400K	65" Floor-standing Signage, Android 11		68,313.-
	DHU-LDV75-SAI400K	75" Floor-standing Signage, Android 11		91,084.-
	DHU-LDV55-SAI400TK	55" Floor Standing Signage 4k Touch	Overseas Dahua Screen Size: 55", 65" Touch Support Indoor; Floor-standing; Resolution: 2160*3840(4K) Brightness: 320nit RAM/ROM: 4G/32G System: Android 11	74,736.-
	DHU-LDV65-SAI400TK	65" Floor Standing Signage 4k Touch		99,842.-
	DHU-DS04-AO400	Android Media Player Box	Android Media Player Box 1. Industrial design, small and portable, matching monitor, video wall, LED screen for advertising 2.CPU Cortex-A55 1.9GHz Quad Core CPU 3.RAM 4GB 4.ROM 32GB 5.System Android 11	12,846.-
	DHU-LD-AI-W	USB Wi-Fi dongle	1.External WiFi, wireless Unicom 2.Can be easily connected to devices through the USB port for receiving Wi-Fi signals 3.Supports dual frequency band of 2.4 GHz and 5 GHz, wide signal range	1,168.-

Dahua Audiovisual

dahua
TECHNOLOGYdahua
TECHNOLOGY

sis



ชุดสำหรับห้องประชุมขนาดใหญ่



ชุดสำหรับห้องประชุมขนาดกลาง



ชุดสำหรับห้องประชุมขนาดเล็ก



PHEIA2.5-TH / PHEIA4-TH

Indoor Fine Pixel Pitch LED

- Three-in-one integrated design of control board.
- Support Front/Rear maintenance.
- Tool free disassembly of Hub board.
- Hardwired wireless design.
- Support GOB encapsulation technology (customizable)
- Dot by dot calibration ensures color richness and brightness uniformity.

สนใจสอบถาม Sale ที่ดูแลท่าน
หรือ DahuaAVDisplay@sisthai.com

sis

SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว
บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์