

BROTHER : Color Laser Printers



HL-L3240CDW

BTH-HL-L3240CDW



HL-L3280CDW

BTH-HL-L3280CDW

ประเภทเครื่องพิมพ์	Print Laser A4	Print Laser A4
Color	สี-ขาวดำ	สี-ขาวดำ
ความเร็วในการพิมพ์ (สี/ขาวดำ) PPM	26	26
พิมพ์สองหน้า อัตโนมัติ	X	X
Network	X	X
Wifi	X	X
Air Print	X	X
ความจุถาดกระดาษ	250	250
	เครื่องพิมพ์สีเทคโนโลยีแบบ LED พิมพ์ขาว-ดำ/สี 26 แผ่นต่อนาที พร้อม พิมพ์เอกสาร 2 หน้าอัตโนมัติ และ Network	เครื่องพิมพ์สีเทคโนโลยีแบบ LED พิมพ์ขาว-ดำ/สี 26 แผ่นต่อนาที พร้อม พิมพ์เอกสาร 2 หน้าอัตโนมัติ และ Network and Wireless
Waranty	3 ปี - Onsite Service	3 ปี - Onsite Service
SRP (inc. VAT)	10,990.-	12,990.-



HL-L8260CDN

BTH-HL-L8260CDN



HL-L8360CDW

BTH-HL-L8360CDW

ประเภทเครื่องพิมพ์	Print Laser A4	Print Laser A4
Color	สี-ขาวดำ	สี-ขาวดำ
ความเร็วในการพิมพ์ (สี/ขาวดำ) PPM	31	31
พิมพ์สองหน้า อัตโนมัติ	X	X
Network	X	X
Wifi		X
Air Print		X
ความจุถาดกระดาษ	250	250
	เครื่องพิมพ์เลเซอร์สี ความเร็วสี/ขาวดำ 31 แผ่นต่อนาที พร้อม Duplex และการเชื่อมต่อแบบ Gigabit ethernet	เครื่องพิมพ์เลเซอร์สี ความเร็วสี/ขาวดำ 31 แผ่นต่อนาที พร้อม Duplex และการเชื่อมต่อแบบ Gigabit ethernet, Wireless, Wi-Fi Direct และ NFC
Waranty	3 ปี - Onsite Service	3 ปี - Onsite Service
SRP (inc. VAT)	21,990.-	23,990.-

FUJIFILM : Color Laser Printers**FUJIFILM****NEW!****A4
Size****A4
Size****A3
Size****ApeosPort Print C2410SD**

APPC2410-TH-S

ApeosPrint C325dw

APPC325DW-S

Phaser 7100

XRX-P7100

Function	Print	Print	Print
Print Speed	24 ppm Colour; 24 ppm B&W	31 ppm Colour; 31 ppm B&W	30 ppm Colour; 30 ppm B&W
First Page Out Time	10.9 sec Colour ; 10.9 sec B&W	11 sec Colour; 10 sec B&W	11 sec Colour; 9 sec B&W
Memory Std./Max	512 MB	512 MB	1 GB/ 2 GB
Processor	1 GHz	667 MHz	667 MHz
Resolution	4,800 Colour Quality	600x2,400 dpi	1,200x1,200 dpi
Paper Capacity	250+1 Sheets	250+50 Sheets	250+150 sheets
Two-Sided Printing	Automatic	Automatic	Optional
Connectivity	Wireless, USB 2.0, Ethernet 10/ 100/ 1000 Base-TX	Wireless, USB 2.0, Ethernet 10/ 100/ 1000 Base-T	USB 2.0, Ethernet 10/ 100 Base-T (Wireless: Optional)
Print Languages	PCL6, PCL5, Postscript 3 emulation	PCL6, PCL5, Postscript 3 emulation	PostScript Fonts: 136; PCL Fonts: 82
Waranty	3 Year Warranty Carry-in	3 Year Warranty Carry-in	3 Year Warranty Carry-in
SRP (inc. VAT)	13,390.-	17,750.-	78,990.-

PANTUM : Color Laser Printers**PANTUM****P2500W**

CP2200DW

Print speed A4 (ppm)	24/24 ppm (Mono/ Color)
Resolution (dpi)	4800x600 dpi (Enhanced)
Processor (MHz)	Dual Core, 1 GHz
Memory (Std./ Max)	512 MB
Print Language	PCLm, PCL 5, PCL 6, PS3e
Automatic Print Duplex	Yes
Connectivity: Standard	Wireless, USB2.0 Ethernet 10 /100/ 1000 Base-TX
Paper Input Tray (Std./ Max)	250 sheets
Paper Output Capacity (Max)	100 sheets
Paper Weight	60-200 Gsm
Warranty	3 years on-site
SRP (inc. VAT)	11,900.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว
บริษัท ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

RICOH : Color Laser Printers**RICOH****P C311w**

RCH-LPC311W

**P C375**

RCH-LPC375

**LP C200W**

RCH-LPC200W

Print Speed	25 ppm Black / 25 ppm color	32 ppm Black / 32 ppm color	24/24 ppm
Resolution	600 x 600 dpi (2,400 x 600 dpi equivalent)	1,200 x 1,200 dpi	600x600 dpi
Memory/Storage	256MB	2 GB	512 MB
Processor	350 MHz	1.2 GHz	1 GHz
Language	PCL 5c, PCL 6, PostScript3 emulation Note: Only PostScript3 for Mac OS.	PCL 6, PostScript 3 (emulation), PDF direct (emulation)	PCL5, PCLm, Postscript3 (Emulation), PCL6 (Emulation)
Media size	Letter (8.5" x 11"), Legal (8.5" x 14"), EXEC (10.5" x 7.25"), Half Letter (5.5" x 8.5"), A4 (8.3" x 11.7"), A5 (5.8" x 8.3"), A6 (4.1" x 5.8"), B5 JIS (7.2" x 10.1"), B6 JIS (5.0" x 7.2"), F (8" x 13"), Foolscap (8.5" x 13"), Folio (8.25" x 13"), 16 Kai (7.6" x 10.5") Envelopes: Com10, Monarch, C5, C6, DL Custom size: Min. 90 mm x 148 mm (3.54" x 5.83"), Max. 216 mm x 356 mm (8.5" x 14.0")		"A4, A5, A6, JIS-B5, Legal, Letter, Oficio, Statement, Executive, Folio, Universal, B5 Envelope, C5 Envelope, DL Envelope, 7 3/4 Envelope, 9 Envelope, 10 Envelope, Hagaki Card"
Duplex	60-90 g/m2	Auto Duplex	Yes
Interface	USB2.0, 10Base-T/100Base-TX, IEEE802.11a/b/g/n/ac (Wireless LAN, 2.4GHz / 5GHz)	Ethernet 10Base-T/100Base-TX /1000Base-T, USB Host Type A, USB Device Type B, SD Card slot, MacOS 11 or later, SAP® R/3®, SAP® S/4® Note: Optional Unicode font package for SAP required.	USB2.0, Ethernet 10 base-T/100 base-TX/1000 base-T, USB Host 2.0, WiFi (IEEE 802.11b/g/n) + Wi-Fi Direct
Paper input	250 sheets	250 sheets	250 sheet
Paper output	up to 150 sheets (A4/LT or 80g/m2,20lb)	200 sheets	100 sheet
Duty (Prints/Month)	65,000 pages per month	75,000 prints/month	50000 sheet
Waranty	3 years on-site-by Ricoh	3 years on-site-by Ricoh	3 years on-site-by Ricoh
SRP (inc. VAT)	14,648.-	27,000.-	9,898.-

OKI : Color Laser Printers**OKI****OKI C650DN**

OKI-YA80011023G003

**OKI C834NW**

OKI-OKI-47074215

Printer Speed	35 ppm Color, 35 ppm Mono	36 ppm Color, 20 ppm Mono
Resolution	1200 x 1200 dpi	1200 x 600 dpi ProQ Multi-level technology,
Memory	1GB RAM; 3GB eMMC	1GB RAM; 3GB eMMC
Media Sized	A4, Letter, Legal, Banner 1320mm	A3, Letter, Legal, Banner 1320mm
Language	PCL 6 (XL3.0) emulation, PCL 5c emulation, Epson FX Emulation, PostScript 3 emulation, PDF 2.0 emulation, IBM	PCL6 (XL3.0) and PCL5c, PostScript3 emulation, PDF v1.7, SIDM (IBM-PPR, EPSON-FX)
Paper Tray	Tray 1: 250 sheets of 80gsm,MP tray: 100 sheets of 80gsm	Tray 1 : 300 sheets Multi-purpose tray : 100 sheets (Optional)Additional Tray : 535 sheets
Interface	Hi Speed USB 2.0, 10/100/1000Base-Tx	USB 2.0 D evice, USB 2.0 Host x 1, 10/100/1000Base-T Ethernet, Wireless IEEE802.11a/b/g/n, NFC2
Duplex	Standard	Optional
Waranty	3 Year with onsite service, LED Lifetime	3 Year with onsite service, LED Lifetime
SRP (inc. VAT)	19,900.-	65,500.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sis-thai.com

บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์
ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

HP : Color Laser Printers

A3
Size**M652dn**

HPI-J7Z99A

CP5225DN

HPI-CE712A

M155a (Replace 154A)

HPI-7KW48A

Print Speed	Up to 47 ppm	Up to 20 ppm, letter/A4 and black-and-white/color	Black 16ppm / Color 16ppm
Print Resolution	Up to 1200 x 1200 dpi	Up to 600 x 600 dpi	600 x 600 dpi
Input / Output	input : Up to 650 sheets / output : Up to 500 sheets	100-sheet multipurpose tray 1, 250-sheet tray 2; optional 500-sheet tray 3 250-sheet face-down output bin	Paper (bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Two-side printing	Automatic (standard)	Std. 192 MB / Max 448 MB	
Media sizes, std	Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards envelopes /Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional 550-sheet trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional 2,000-sheet high-capacity Tray 4: A4		Letter; Legal; Executive; Oficio; 4 x 6; 5 x 8; A4; A5; A6; B5 (JIS); B6 (JIS); 10x15cm; Oficio; 16K; 16K; 16K; Postcard (JIS); Double Postcard (JIS); Envelope #10; Envelope Monarch; Envelope B5; Envelope C5; Envelope DL; A5-R
Memory, std	1 GB	Std. 192 MB / Max 448 MB	128 MB DDR
Processor speed	1.2 GHz	540 MHz	800 MHz
Print Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation	
Connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket	1 Hi-Speed USB 2.0, built-in Fast Ethernet 10/100 Base-T	Hi-Speed USB 2.0 port
Duplex Printing		Automatic	
Waranty	3 Year Warranty (Onsite)	3 Year Warranty (Onsite)	3 Year Warranty (Onsite)
SRP (inc. VAT)	69,900.-	80,900.-	13,690.-

**M255nw (Replace 254NW)**

HPI-7KW63A

**M255dw (Replace 254DW)**

HPI-7KW64A

Print Speed	Black 21ppm / Color 21ppm	Black 21 ppm / Color 21 ppm
Print Resolution	600 x 600 dpi	600 x 600 dpi
Input / Output		Paper (bond, brochure, colored, glossy, heavy, letterhead, light, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, envelopes, cardstock
Two-side printing		
Media sizes, std	Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS)(147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148);	Letter(216 x 280); Legal(216 x 356); Executive(184 x 267); Oficio 8.5x13(216 x 330); 4 x 6(102 x 152); 5 x 8(127 x 203); A4(210 x 299); A5(148 x 210); A6(105x148); B5(JIS)(182 x 257); B6(JIS)(128 x 182); 10x15cm(100 x 150); Oficio 216x340mm(216 x 340); 16K 195x270mm(195x270); 16K 184x260mm(184x260); 16K 197x273mm(197x273); Postcard(JIS)(100 x 147); Double Postcard(JIS)(147 x 200); Envelope #10(105 x 241); Envelope Monarch(98 x 191); Envelope B5(176 x 250); Envelope C5(162 x 229); Envelope DL(110 x 220); A5-R(210 x 148);
Memory, std		128 MB DDR, 128 MB NAND Flash
Processor speed	800 MHz	800 MHz
Print Languages		
Connectivity	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; 802.11n 2.4/5GHz wireless	Hi-Speed USB 2.0 port; built-in Fast Ethernet 10/100Base-TX network port; 802.11n 2.4/5GHz
Duplex Printing		
Waranty	3 Year Warranty (Onsite)	3 Year Warranty (Onsite)
SRP (inc. VAT)	18,590.-	25,990.-