

CyberPower : BU Series**CyberPower®**

Part Number	CBP-BU600E	CBP-BU800E	CBP-BU1000EA	CBP-BU800E-CCTV	CBP-BU800ELCD	BU1000ELCD
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Capacity	600VA/360W	800VA/480W	1000VA/630W	800VA/480W	800VA/480W	1000VA/630W
Input plug type	NEMA	NEMA	NEMA	NEMA	NEMA	NEMA
Output Sockets (number)	AS(3)	AS(3)	AS(4)	Universal (3)	AS(3)	AS(4)
	Overload protection	Overload protection	Overload protection	Overload protection	Overload protection	Overload protection
	EMI/RFI Filtration	EMI/RFI filtration	EMI/RFI filtration	EMI/RFI filtration	EMI/RFI filtration	EMI/RFI filtration
Warranty	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt
Software	NO	No	No	No	No	No
Energy saving				YES	Yes	Yes
After sales service	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	1,541	1,798	2,953	1,926	2,183	3,403

CyberPower : UT Series

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



Part Number	CBP-UT650EG	CBP-UT800EG	CBP-UT1100EG	UT1500EG	UT2200E
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Capacity	600VA/360W	800VA/480W	1100VA/630W	1500VA/900W	2200VA/1320W
Input plug type	NEMA	NEMA	NEMA	NEMA	NEMA
Output Sockets (number)	Universal (3)	AS (8)	Universal (4)	AS(4)	AS(4)
	Overload protection	Overload protection	Overload protection	Surge protection	Surge protection
	EMI/RFI filtration	EMI/RFI filtration	EMI/RFI filtration	RJ11/RJ45	RJ11/RJ45
Warranty	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt
Software	No	No	No	PowerPanel® Personal	PowerPanel® Personal
Energy saving	YES	YES	YES		
After sales service	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	1,412	1,733	2,761	3,980	4,494

CyberPower : VALUE-PRO Series

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)



Part Number	CBP-VP700ELCD	CBP-VP1000ELCD	CBP-VP1600ELCD
Topology	Line Interactive	Line Interactive	Line Interactive
Capacity	700VA/390W	1000VA/550W	1600VA/960W
Input plug type	IEC C14	IEC C14	IEC C14
Output Sockets (number)	AS (3)	AS (3)	AS (5)
	Surge protection	Surge protection	Surge protection
	RJ11/RJ45	RJ11/RJ45	RJ11/RJ45
Warranty	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt
Software	PowerPanel	PowerPanel	PowerPanel
Energy saving	YES	YES	YES
After sales service	onsite swap-user	onsite swap-user	onsite swap-user
SRP (inc. VAT)	2,790	3,500	7,200

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower : On-Line UPS

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower®

มาพร้อม Battery !!!!!



New



Part Number	CBP-OLS1000EA	CBP-OLS1000EC-AS	CBP-OLS2000EC-AS	CBP-OLS2000EA
Topology	Online Double Conversion	Online Double Conversion	Online Double Conversion	Online Double Conversion
Capacity	1000VA/900W	1000VA/800W	2000VA/1600W	2000VA/1800W
Input plug type	IEC-C14	IEC-C14	IEC-C14	IEC-C14
Output Sockets (number)	AS (2), IEC C13 (1)	AS (2), IEC C13 (1)	AS (2), IEC C13 (2)	AS (2), IEC C13 (2)
- Surge protection	Surge protection	Surge protection	Surge protection	Yes
Warranty	2 yrs includ batt	2 yrs includ batt	2 yrs includ batt	2 years
Software	PowerPanel	PowerPanel	PowerPanel	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service	Onsite service	Onsite service
SRP (inc. VAT)	12,198	8,346	10,946	19,260



Part Number	CBP-OLS3000EC-AS	CBP-OLS3000EA	CBP-OLS6000E	CBP-OLS10000E
Topology	Online Double Conversion	Online Double Conversion	Online Double Conversion	Online Double Conversion
Capacity	3000VA/2400W	3000VA/2700W	6000VA/5400W	10000VA/9000W
Input plug type	IEC-C20	IEC-C20	Terminal Block	Terminal Block
Output Sockets (number)	AS(4),IEC C13 (2), TB	AS(4),IEC C13 (2),TB	Terminal Block	Terminal Block
- Surge protection	Surge protection	Yes	Surge protection	Surge protection
Warranty	2 yrs includ batt	2 years	2 yrs	2 yrs
Software	PowerPanel	Yes [USB/RS232/SNMP(optional)]	PowerPanel	PowerPanel
After sales service	Onsite service	Onsite service	Onsite service	Onsite service
SRP (inc. VAT)	21,828	26,964	89,880	109,140

CyberPower : On-Line UPS

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower®

ไม่มาพร้อม Battery !!!!!



Part Number	CBP-OLS6000EXL	CBP-OLS10000EXL
Topology	Online Double Conversion	Online Double Conversion
Capacity	6000VA/5400W	10000VA/9000W
Input plug type	Terminal Block	Terminal Block
Output Sockets (number)	Terminal Block	Terminal Block
- Surge protection	Surge protection	Surge protection
Warranty	2 yrs	2 yrs
Software	PowerPanel	PowerPanel
After sales service	Onsite service	Onsite service
SRP (inc. VAT)	93,200	114,800

CyberPower : Battery Pack For Tower Model**CyberPower®**

Part Number	Description	Rack/Tower	SRP (Inc.VAT)	Warranty
CBP-BPSE36V45A	Battery Pack for 1/1.5KVA	Tower	14,100	2-ysr on battery
CBP-BPSE72V45A	Battery Pack for 2/3KVA	Tower	23,500	2-ysr on battery
CBP-BPSE240V47A	Battery Pack for 6KVA, 7Ah	Tower	67,500	2-ysr on battery
CBP-BPSE240V47AOA	Battery Pack for 10KVA, 9Ah	Tower	77,700	2-ysr on battery
CBP-BPSE24V40A	Battery Pack for OLS1000EA	Tower	12,200	2-ysr on battery
CBP-BPSE48V40A	Battery Pack for OLS2000EA	Tower	16,900	2-ysr on battery
CBP-BPSE72V40A	Battery Pack for OLS3000EA	Tower	21,500	2-ysr on battery

*** หมายถึง เชื้อเพลิงการติดตั้งเครื่องสำรองไฟ ขนาด 6KVA ขึ้นไป ***

CyberPower : Remote Management Card**CyberPower®**

Part Number	Description	Rack/Tower	SRP (Inc.VAT)	Warranty
CBP-RMCARD205	SNM Network Card	Card	6,800	2-ysr onsite

CyberPower : Online UPS Rack Series

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower®

มาพร้อม Battery !!!!!



Part Number	CBP- OLS1000ERT2UA	CBP-OLS2000ERT2UA	OLS3000ERT2UA
Topology	Online Double Conversion	Online Double Conversion	Online Double Conversion
Capacity	1000VA/900W	2000VA/1800W	3000VA/2700W
Input plug type	IEC-C14 with NEMA male type	IEC-C14 with NEMA male type	IEC-C20 with NEMA male type
Output Sockets (number)	IEC 13 (6)	IEC 13 (8)	IEC 19 (1), IEC 13 (8)
- Surge protection	Yes	Yes	Yes
-			
Warranty	2 years	2 years	2 years
Software	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]	Yes [USB/RS232/SNMP(optional)]
After sales service	Onsite service	Onsite service	Onsite service
SRP (inc. VAT)	16,692	24,396	28,248



Part Number	CBP-OLS6000ERT6U	CBP-OLS10000ERT6UA
Topology	Online Double Conversion	Online Double Conversion
Capacity	6000VA/5400W	10000VA/9000W
Input plug type	Terminal Block	Terminal Block
Output Sockets (number)	Terminal Block	Terminal Block
- Surge protection	Surge protection	Surge protection
-		
Warranty	2 yrs	2 yrs
Software	PowerPanel® Personal	PowerPanel
After sales service	Onsite service	Onsite service
SRP (inc. VAT)	85,000	117,200

CyberPower : Online UPS Rack Series**CyberPower®**

ไม่มาพร้อม Battery !!!!!



Part Number	CBP-OLS6000ERTXL3U	CBP-OLS10000ERTXL3U
Topology	Online Double Conversion	Online Double Conversion
Capacity	6000VA/5400W	10000VA/9000W
Input plug type	Terminal Block	Terminal Block
Output Sockets (number)	Terminal Block	Terminal Block
- Surge protection	Surge protection	Surge protection
-		
Warranty	2 yrs	2 yrs
Software	PowerPanel	PowerPanel
After sales service	Onsite service	Onsite service
SRP (inc. VAT)	76,300	104,700

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower : EPS

(*ราคา SRP เป็นราคารวมภาษีมูลค่าเพิ่มแล้ว)

CyberPower®

Part Number	CBP-CPS600E-AS	CBP-CPS1000E-AS
SIS P/N		
Topology	Line Interactive	Line Interactive
Capacity	600VA/420W	1000VA/700W
Input plug type	IEC-C14 with NEMA male type	IEC-C14 with NEMA male type
Output Sockets (number)	AS (1)	AS (2)
- Surge protection	Yes	Yes
Unit Warranty	2years	2years
Software	NO	NO
After sales service	Onsite	Onsite
SRP (inc. VAT)	7,700	11,400



Part Number	CBP-CPS3500PRO-UK	CBP-CPS5000PRO	CBP-CPS7500PIE
SIS P/N			Line Interactive
Topology	Line Interactive	Line Interactive	7500VA/5250W
Capacity	3500VA/2450W	5000VA/3500W	Terminal Block
Input plug type	Hardwire terminal	Terminal Block	
Output Sockets (number)	Hardwire terminal (1)	UK (2), Terminal Block	UK (2), Terminal Block
- Surge protection	Yes	Surge protection	Surge protection
Unit Warranty	2 years	2 yrs	2 yrs
Software	Only CPS1500PRO with optional SNMP	Yes with optional SNMP	Yes with optional SNMP
After sales service	Onsite	Onsite service	Onsite service
SRP (inc. VAT)	36,800	53,500	76,200

CyberPower : Battery Pack For EPS

CyberPower®

Part No.	Description	Qty	Rack / Tower	SRP (Inc.VAT)	Warranty
Battery For CBP-CPS600E-AS					
GPW-GTAD12-40	Battery for EPS GTAD 12V/40AH	1	Tower	CALL	2 Year Onsite
GPW-GTAD12-55	Battery for EPS GTAD 12V/55AH	1	Tower	CALL	2 Year Onsite
GPW-GTAD12-100	Battery for EPS GTAD 12V/100AH	1	Tower	CALL	2 Year Onsite
Battery For CBP-CPS1000E-AS					
GPW-GTAD12-40	Battery for EPS GTAD 12V/40AH	1	Tower	CALL	2 Year Onsite
GPW-GTAD12-55	Battery for EPS GTAD 12V/55AH	1	Tower	CALL	2 Year Onsite
GPW-GTAD12-100	Battery for EPS GTAD 12V/100AH	1	Tower	CALL	2 Year Onsite
GPW-GTAD12-200	Battery for EPS GTAD 12V/200AH	1	Tower	CALL	2 Year Onsite
Battery For CBP-CPS1500PIE-UK / CBP-CPS3500PRO-U / CBP-CPS5000PRO-UK / CBP-CPS7500PRO-UK					
GPW-GTAD12-100	Battery for EPS GTAD 12V/100AH	1	Tower	8,985	2 Year Onsite
GPW-GTAD12-200	Battery for EPS GTAD 12V/200AH	1	Tower	18,150	2 Year Onsite

CyberPower : Online UPS : 3 phase in / 1 phase out : PF : 0.8

CyberPower®

Model	Description	Qty	SRP (Inc.VAT)	Stock / By order	Warranty
KIT-CBP-OLS3S10KEC					
CBP-OLS3S10KEC	10KVA/8KW 3in/1out with BATTERY	1	126,000	Stock	2 Years Onsite
CBP-BPSE192V60A	Battery Pack 9AH*16pcs	2	59,000	Stock	2 Years Onsite
Total/Set					
3/1 UPS					
CBP-OLS3S15KE	15KVA w/ 40pcs*9AH BAT	1	243,000	By order	2 Years Onsite
CBP-OLS3S20KE	20KVA w/ 40pcs*9AH BAT	1	259,000	By order	2 Years Onsite
CBP-OLS3S15KEXL	20KVA w/o BAT	1	172,000	By order	2 Years Onsite
CBP-OLS3S20KEXL	20KVA w/o BAT	1	180,000	By order	2 Years Onsite
CBP-BPSE240V82A	Battery Pack 9AH*20pcs*2Sets	1	114,000	By order	2 Years Onsite
Modular (20kVA)					
CBP-SM20KPM	20KVA Power Modular	1	168,000	By order	2 Years Onsite
CBP-SM060KMF	60KVA Enclosure	1	240,000	By order	2 Years Onsite
CBP-SM120KMF	120KVA Enclosure	1	335,000	By order	2 Years Onsite
CBP-SM200KMF	200KVA Enclosure	1	440,000	By order	2 Years Onsite
Moular (30kVA)					
CBP-SM30KPMX	30KVA Power Modular	1	203,000	By order	2 Years Onsite
CBP-SM180KMF	180KVA Enclosure	1	386,000	By order	2 Years Onsite
CBP-SM300KMF	300KVA Enclosure	1	567,000	By order	2 Years Onsite
CBP-SM600KMF	600KVA Enclosure	1	1,479,000	By order	2 Years Onsite
HSTP (KE)Standalone					
CBP-HSTP3T10KE	10KVA/9KW 400/230VAC 3PHASE w/o BAT	1	140,000	By order	2 Years Onsite
CBP-HSTP3T15KE	15KVA/13.5KW 400/230VAC 3PHASE w/o BAT	1	156,000	By order	2 Years Onsite
CBP-HSTP3T20KE	20KVA/18KW 400/230VAC 3PHASE w/o BAT	1	201,000	By order	2 Years Onsite
CBP-HSTP3T30KE	30KVA/27KW 400/230VAC 3PHASE w/o BAT	1	252,000	By order	2 Years Onsite
CBP-HSTP3T40KE	40KVA/36KW 400/230VAC 3PHASE w/o BAT	1	317,000	By order	2 Years Onsite
CBP-HSTP3T60KE	60KVA/54KW 400/230VAC 3PHASE w/o BAT	1	467,000	By order	2 Years Onsite
CBP-HSTP3T80KE	80KVA/72KW 400/230VAC 3PHASE	1	681,000	By order	2 Years Onsite
CBP-HSTP3T90KE	90KVA/81KW 400/230VAC 3PHASE w/o BAT	1	704,000	By order	2 Years Onsite
CBP-HSTP3T100KE	100KVA/90KW 400/230VAC 3PHASE	1	822,000	By order	2 Years Onsite
CBP-HSTP3T120KE	120KVA/108KW 400/230VAC 3PHASE w/o BAT	1	854,000	By order	2 Years Onsite
CBP-HSTP3T150KE	150KVA 135KW 400/230VAC 3PHASE w/o BAT	1	895,000	By order	2 Years Onsite
CBP-HSTP3T200KE	200KVA 180KW 400/230VAC 3PHASE w/o BAT	1	1,096,000	By order	2 Years Onsite
CBP-HSTP3T250KE	250KVA 225KW 400/230VAC 3PHASE w/o BAT	1	1,497,000	By order	2 Years Onsite
CBP-HSTP3T300KE	300KVA 270KW 400/230VAC 3PHASE w/o BAT	1	1,661,000	By order	2 Years Onsite
CBP-HSTP3T400KE	400KVA 360KW 400/230VAC 3PHASE w/o BAT	1	2,617,000	By order	2 Years Onsite
CBP-HSTP3T500KE	500KVA 450KW 400/230VAC 3PHASE w/o BAT	1	2,981,000	By order	2 Years Onsite
HSTP (KEBC/KEBCWOB)Standalone					
CBP-HSTP3T10KEBC	10KVA/9KW with 9AH x 40pcs BAT	1	220,000	By order	2 Years Onsite
CBP-HSTP3T10KEBCWOB	10KVA/9KW Bat space& cable w/o BAT	1	167,000	By order	2 Years Onsite
CBP-HSTP3T15KEBC	15KVA/13.5KW with 9AH x 40pcs BAT	1	243,000	By order	2 Years Onsite
CBP-HSTP3T15KEBCWOB	15KVA/13.5KW Bat space& cable w/o BAT	1	184,000	By order	2 Years Onsite
CBP-HSTP3T20KEBC	20KVA/18KW with 12AH x 40pcs BAT	1	317,000	By order	2 Years Onsite
CBP-HSTP3T20KEBCWOB	20KVA/18KW Bat space& cable w/o BAT	1	234,000	By order	2 Years Onsite
CBP-HSTP3T30KEBC	30KVA/27KW with 12AH x 40pcs BAT	1	381,000	By order	2 Years Onsite
CBP-HSTP3T30KEBCWOB	30KVA/27KW Bat space& cable w/o BAT	1	295,000	By order	2 Years Onsite
CBP-HSTP3T40KEBC	40KVA/36KW with 12AH x 80pcs BAT	1	521,000	By order	2 Years Onsite
CBP-HSTP3T40KEBCWOB	40KVA/36KW Bat space& cable w/o BAT	1	372,000	By order	2 Years Onsite
RT33 Rack Tower					
CBP-T33010KE	Rack Tower 10kVA/10kW UPS (MIC)	1	180,000	By order	2 Years Onsite
CBP-RT33015KE	Rack Tower 15kVA/15kW UPS (MIC)	1	189,000	By order	2 Years Onsite
CBP-RT33020KE	Rack Tower 20kVA/20kW UPS (MIC)	1	217,000	By order	2 Years Onsite
CBP-RT33025KE	Rack Tower 25kVA/25kW UPS (MIC)	1	226,000	By order	2 Years Onsite
CBP-RT33030KE	Rack Tower 30kVA/24kW UPS (MIC)	1	231,000	By order	2 Years Onsite
CBP-MBS63AHVHWW	Rack Mount maintenance bypass switch box	1	58,000	By order	2 Years Onsite
Battery pack & Breaker					
CBP-SMBF17	480VDC 17AH 12VDC BATTERIES 40PCS	1	153,000	By order	2 Years Onsite
CBP-SMBF20	480VDC 20AH 12VDC BATTERIES 40PCS	1	166,000	By order	2 Years Onsite
CBP-SMBF26	480VDC 26AH 12VDC BATTERIES 40PCS	1	241,000	By order	2 Years Onsite
CBP-SMBF33	480VDC 33AH 12VDC BATTERIES 40PCS	1	264,000	By order	2 Years Onsite
CBP-SMBF40	480VDC 40AH 12VDC BATTERIES 40PCS	1	316,000	By order	2 Years Onsite
CBP-SMBF65	480VDC 65AH 12VDC BATTERIES 40PCS	1	518,000	By order	2 Years Onsite
CBP-SMBF20-17N	BAT Cabinet 20AHx40pcs w/o BAT	1	48,000	By order	2 Years Onsite
CBP-SMBF40-26N	BAT Cabinet 40AHx40pcs w/o BAT	1	55,000	By order	2 Years Onsite
CBP-SMBF65N	BAT Cabinet 65AHx40pcs w/o BAT	1	67,000	By order	2 Years Onsite
CBP-SMBCB125	Circuit Breaker 125A for SM060KMF	1	6,000	By order	2 Years Onsite
CBP-SMBCB250	Circuit Breaker 250A for SM120KMF	1	13,000	By order	2 Years Onsite
CBP-SMBCB400	Circuit Breaker 400A for SM200KMF	1	27,000	By order	2 Years Onsite
CBP-SM125C20-17	Cable/Copper Bar for SM125C20_17	1	13,000	By order	2 Years Onsite
CBP-SM250C40-26	Cable/Copper Bar for SM250C40_26	1	35,000	By order	2 Years Onsite
CBP-SM400C65	Cable/Copper Bar for SM400C65	1	76,000	By order	2 Years Onsite
CBP-BCA12N63	DIY battery cabinet w/o battery (Space for 12AH * 40pcs)	1	15,000	By order	2 Years Onsite
CBP-BCA20N125	DIY battery cabinet w/o battery (Space for 20AH * 40pcs)	1	31,000	By order	2 Years Onsite
CBP-BCA40N125	DIY battery cabinet w/o battery (Space for 40AH * 40pcs)	1	40,000	By order	2 Years Onsite
CBP-BCA100N125	DIY battery cabinet w/o battery (Space for 100AH * 40pcs)	1	64,000	By order	2 Years Onsite
CBP-BM240V63ART3U	BATTERY MODULE BM240V63ART3U	1	55,000	By order	2 Years Onsite
Accessories					
CBP-SM060KDF	60KVA Dust Filter	1	5,000	By order	2 Years Onsite
CBP-SM120KDF	120KVA Dust Filter	1	6,000	By order	2 Years Onsite
CBP-SM200KDF	200KVA Dust Filter	1	12,000	By order	2 Years Onsite
CBP-SMNNPK	Parallel kit for SM UPS	1	22,000	By order	2 Years Onsite
CBP-PARLCARD301	Parallel kit for HSTP3T10/15KE SERIES	1	12,000	By order	2 Years Onsite
CBP-PARLCARD302	Parallel kit for HSTP3T20/30KE SERIES	1	12,000	By order	2 Years Onsite
CBP-PARLCARD303	Parallel kit for HSTP3T40KE SERIES	1	12,000	By order	2 Years Onsite
CBP-PARLCARD304	Parallel kit for OVER HSTP3T60KE AND SMX SERIES	1	22,000	By order	2 Years Onsite
CBP-SMTEMP	Temperature sensor	1	1,500.00	By order	2 Years Onsite



APC Back UPS : Tower Model



Exclusive for SiS

Part number	BK500EI	BK650-AS	BR500CI-AS	BV800I-MS
SIS P/N	APC-BK500EI	APC-BK650AS	APC-BR500CIAS	APC-BV800I-MST
Topology	Offline (Standby)	Offline (Standby)	Line Interactive	Line Interactive
Output power capacity	500VA / 300W	650V / 400W	500VA / 300W	800VA / 480 watt
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	NEMA 5-15P
Output Connection	(3) IEC-320 C13 (Battery Backup) (1) IEC-320 C13 (Surge protection only)	(3) IEC-320 C13 (Battery Backup) (1) IEC-320 C13 (Surge protection only)	(3) IEC-320 C13 (Battery Backup)	(4) Universal Receptacle (Battery Backup)
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap	2Y onsite swap
Software	PowerChute Personal Edition	PowerChute Personal Edition	Not support software	Not support software
SRP (inc. VAT)	4,420	5,470	3,150	2,430



Exclusive for SiS



Part number	BVX700LUI-MS	BX625CI-MS	BX750MI-MS	BX950MI-MS
SIS P/N	APC-BVX700LUI-MS	APC-BX625CI-MS	APC-BX750MI-MS	APC-BX950MI-MS
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Output power capacity	700VA / 360W	625VA / 325W	750VA / 410W	950VA / 520W
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	IEC-320 C14
Output Connection	(2) Universal Receptacle (1) USB	(3) Universal Receptacle	(2) Universal Receptacle (1) IEC-320 C13	(2) Universal Receptacle (2) IEC-320 C13
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap	2Y onsite swap
Software	Not support software	Not support software	PowerChute Personal Edition	PowerChute Personal Edition
SRP (inc. VAT)	2,200	2,960	4,970	6,280



Part number	BX1200MI-MS	BX1600MI-MS	BX2200MI-MS	BR1300MI
SIS P/N	KIT-BX1200MI-3YR	KIT-BX1600MI-3YR	KIT-BX2200MI-3YR	KIT-BR1300MI
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Output power capacity	1200VA / 650W	1600VA / 900W	2200VA / 1200W	1300VA / 780W
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	IEC-320 C14
Output Connection	(4) Universal Receptacle (1) IEC-320 C13	(4) Universal Receptacle	(4) Universal Receptacle	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)
Warranty	2+1Y onsite swap	2+1Y onsite swap	2+1Y onsite swap	2+1Y onsite swap
Software	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition
SRP (inc. VAT)	7,310	9,270	10,710	14,300



Part number	BR1600MI	BR1500GI	BR1200SI	BR1600SI
SIS P/N	KIT-BR1600MI	KIT-BR1500GI	KIT-BR1200SI	KIT-BR1600SI
Topology	Line Interactive	Line Interactive	Line Interactive/Sine Wave	Line Interactive/Sine Wave
Output power capacity	1600VA / 960W	1500VA / 865W	1200VA / 720W	1600VA / 960W
Input Connection	IEC-320 C14	IEC-320 C14	IEC-320 C14	IEC-320 C14
Output Connection	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)	(5) IEC-320 C13 (Battery Backup) (5) IEC-320 C13 (Surge protection only)	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)	(6) IEC-320 C13 (Battery Backup) (2) IEC-320 C13 (Surge protection only)
Warranty	2+1Y onsite swap	2+1Y onsite swap	2+1Y onsite swap	2+1Y onsite swap
Software	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition	PowerChute Personal Edition
SRP (inc. VAT)	15,600	17,000	15,000	16,800



SiS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sis-thai.com

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว
บริษัทขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

APC Smart UPS : SMV Series

□ Outlet 110V Universal □ Output 110V Pure Sine Wave

APC
Legendary Reliability™

Part number	SMV1000I-MS	SMV2000AI-MS	SMV3000AI-MS
SIS P/N	APC-SMV1000I-MS	APC-SMV2000AI-MS	APC-SMV3000AI-MS
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	1000VA/ 700W	2000VA /1400W	3000VA / 2100W
Input voltage	165 - 290VAC	165 - 295VAC	165 - 295VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2Y onsite swap	2Y onsite swap	2Y onsite swap
Software	UPSCAPO Monitoring Software	UPSCAPO Monitoring Software	UPSCAPO Monitoring Software
SRP (inc. VAT)	10,800	19,600	26,700

APC Smart UPS : SMC with LCD Display**APC**
Legendary Reliability™

Part number	SMC1000IC	SMC1500IC	SMC2000I
SIS P/N	KIT-SMC1000IC	KIT-SMC1500IC	KIT-SMC2000I
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	1000VA/ 600W	1500VA / 900W	2000VA / 1300W
Input voltage	180 - 287VAC	180 - 287VAC	180 - 287VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Software	PowerChute Business Edition	PowerChute Business Edition	PowerChute Business Edition
SRP (inc. VAT)	22,200	25,600	34,000



Part number	SMC3000I	SMC1000I-2UC	SMC1500I-2UC
SIS P/N	KIT-SMC3000I	KIT-SMC1000I-2UC	KIT-SMC1500I-2UC
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	3000VA / 2100W	1000VA / 600W	1500VA / 900W
Input voltage	180 - 287VAC	180 - 287VAC	180 - 287VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Software	PowerChute Business Edition	PowerChute Business Edition	PowerChute Business Edition
SRP (inc. VAT)	44,800	21,000	27,500

APC Smart UPS : SMT Rack Model**APC**
Legendary Reliability™

Part number	SMC2000I-2U	SMC3000RMI2U
SIS P/N	KIT-SMC2000I-2U	KIT-SMC3000I2U
Topology	Line Interactive	Line Interactive
Output power capacity	2000VA / 1300W	3000VA / 2100W
Input voltage	180 - 287VAC	180 - 287VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Software	PowerChute Business Edition	PowerChute Business Edition
SRP (inc. VAT)	36,400	54,300

APC Smart UPS : SMT Smart Connect Tower Model

Part number	SMT750I	SMT1000I	SMT1500I
SIS P/N	KIT-SMT750I	KIT-SMT1000I	KIT-SMT1500I
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	750VA / 500W	1000VA / 700W	1500VA / 1000W
Input voltage	160 - 286VAC	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	17,300	28,000	33,600



Part number	SMT2200I	SMT3000I
SIS P/N	KIT-SMT2200I	KIT-SMT3000I
Topology	Line Interactive	Line Interactive
Output power capacity	2200VA / 1980W	3000VA / 2700W
Input voltage	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	52,700	70,000

APC Smart UPS : SMT Smart Connect Rack Model

Part number	SMT750RMI2U	SMT1000RMI2U	SMT1500RMI2U
SIS P/N	KIT-SMT750RMI2U	KIT-SMT1000RMI2U	KIT-SMT1500RMI2U
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	750VA / 500W	1000VA / 700W	1500VA / 1000W
Input voltage	160 - 286VAC	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	24,300	32,700	46,400



APC Smart UPS : SMT Smart Connect Tower Model

Part number	SMT2200RMI2U	SMT3000RMI2U
SIS P/N	KIT-SMT2200RMI2U	KIT-SMT3000RMI2U
Topology	Line Interactive	Line Interactive
Output power capacity	2200VA / 1980W	3000VA / 2700W
Input voltage	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640 (Network Management Card)	AP9640 (Network Management Card)
SRP (inc. VAT)	62,500	78,000

APC Smart UPS : SMX Series

Part number	SMX750I	SMX1000I	SMX1500RMI2U
SIS P/N	KIT-SMX750I	KIT-SMX1000I	KIT-SMX1500RMI2U
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	750VA / 600W	1000VA / 800W	1500VA / 1200W
Input voltage	160 - 286VAC	160 - 286VAC	160 - 286VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640, SMX48RMBP2U	AP9640, SMX48RMBP2U	AP9640, SMX48RMBP2U
SRP (inc. VAT)	30,000	35,800	51,400



Part number	SMX2200RMHV2U	SMX3000HV	SMX3000HVNC
SIS P/N	KIT-SMX2200RMHV2U	KIT-SMX3000HV	KIT-SMX3000HVNC
Topology	Line Interactive	Line Interactive	Line Interactive
Output power capacity	2200VA / 1980W	3000VA / 2700W	3000VA / 2700W
Input voltage	140 - 280VAC	140 - 280VAC	140 - 280VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	AP9640, SMX120RMBP2U	AP9640, SMX120BP	SMX120BP
SRP (inc. VAT)	72,700	91,700	115,400

APC Smart UPS On-Line



Part number	SRT1500XLI	SRT2200XLI	SRT3000XLI
Topology	Double Conversion Online	Double Conversion Online	Double Conversion Online
Output power capacity	1500VA / 1500W	2200VA / 1980W	3000VA / 2700W
Input voltage	100 - 275VAC	160 - 275VAC	160 - 275VAC
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD	2+1Y onsite 5x8 NBD
Option	SRT48BP	SRTRK4, SRT72BP	SRTRK4, SRT96BP
SRP (inc. VAT)	55,000	62,500	81,700



Part number	SRT5KXLI	SRT6KXLI	SRT8KXLI
Topology	Double Conversion Online	Double Conversion Online	Double Conversion Online
Output power capacity	5,000VA / 4,500W	6,000VA / 6,000W	8,000VA / 8,000W
Input voltage	160 - 275VAC	160 - 275VAC	Single phase 230VAC or Three phase
Output voltage	220, 230, 240VAC	220, 230, 240VAC	220, 230, 240VAC
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTRK2, SRT192BP	SRTRK2, SRT192BP	SRTRK2, SRT192BP2
SRP (inc. VAT)	188,400	206,700	256,000



Part number	SRT10KXLI	SRT15KRMXLI	SRT20KRMXLI
Topology	Double Conversion Online	Double Conversion Online	Double Conversion Online
Output power capacity	10,000VA / 10,000 W	15,000VA / 12,000W	20,000VA / 16,000W
Input voltage	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase
Output voltage	220, 230, 240VAC	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTRK2, SRT192BP2	SURT192RMXLB2	SURT192RMXLB2
SRP (inc. VAT)	290,400	Call	Call

APC Smart UPS On-Line



New



New



Part number	SRTG5KXLI	SRTG6KXLI
Topology	Double Conversion Online	Double Conversion Online
Output power capacity	5,000VA / 5,000W	6,000VA / 6,000W
Input voltage	Single phase 230VAC	Single phase 230VAC
Output voltage	Single phase 230VAC	Single phase 230VAC
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTGRK1, SRTG192XLBP4	SRTGRK1, SRTG192XLBP4
SRP (inc. VAT)	168,700	185,500

New



New



Part number	SRTG8KXLI	SRTG10KXLI
Topology	Double Conversion Online	Double Conversion Online
Output power capacity	8,000VA / 8,000W	10,000VA / 10,000 W
Input voltage	Single phase 230VAC	Single phase 230VAC
Output voltage	Single phase 230VAC	Single phase 230VAC
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTGRK1, SRTG192XLBP4	SRTGRK1, SRTG192XLBP4
SRP (inc. VAT)	207,100	240,700

New



New



Part number	SRTG15KXLI	SRT20KRMXLI
Topology	Double Conversion Online	Double Conversion Online
Output power capacity	15,000VA / 15,000W	20,000VA / 16,000W
Input voltage	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase
Output voltage	Single phase 230VAC or Three phase	Single phase 230VAC or Three phase
Warranty	2Y onsite 5x8 NBD with 2PM/year	2Y onsite 5x8 NBD with 2PM/year
Option	SRTGRK1,SRTGRK2,SRTG192XLBP2	SRTGRK1,SRTGRK2,SRTG192XLBP2
SRP (inc. VAT)	377,800	477,700

Line Interactive UPS : PSA itON Series



Part number	PSA650-SOHO	PSA850-SOHO	PSA1000-SOHO
SIS P/N	VTV-PSA650-SOHO	VTV-PSA850-SOHO	VTV-PSA1000-SOHO
Topology	Line Interactive	Line Interactive	Line Interactive
Capacity (VA/W)	650VA/390W	850VA/510W	1000VA/600W
Input Voltage range	162 – 290VAC, Single phase	162 – 290VAC, Single phase	162 – 290VAC, Single phase
Output Voltage	230VAC ±10%	230VAC ±10%	230VAC ±10%
Battery Internal	Yes, 12V/7AH x 1	Yes, 12V/9AH x 1	Yes, 12V/9AH x 1
Output Port	3×Universal, 1xUSB Charger	3×Universal, 1xUSB Charger	6×Universal
Certificate	ISO9001 & 14001, (TISI) 1291	ISO9001 & 14001, (TISI) 1291	ISO9001 & 14001, (TISI) 1291
Runtime	15m at load 25%	16m at load 25%	18m at load 25%
Cable Bundle	Input NEMA/C13 x1	Input NEMA/C13 x1	Input NEMA/C13 x1
Warranty	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement Warranty, not include rural area and Pattani, Ya-La, Narathiwass

SRP (inc. VAT)	1,798	2,183	3,306
-----------------------	--------------	--------------	--------------

Double Conversion Online UPS : Liebert GXE Product



Part number	GXE3-1000IMT	GXE3-1500IMT	GXE3-2000IMT	GXE3-3000IMT
SIS P/N	VTV-01203742	VTV-01203743	VTV-01203744	VTV-01203745
Topology	Double Conversion Online(Tower)	Double Conversion Online(Tower)	Double Conversion Online (Tower)	Double Conversion Online(Tower)
Capacity (VA/W)	1000VA/900W	1500VA/1350W	2000VA/1800W	3000VA/2700W
Input Voltage range	180-290 VAC	180-290 VAC	180-290 VAC	180-290 VAC
Output Voltage	220/230 Default/240VAC	220/230 Default/240VAC	220/230 Default/240VAC	220/230 Default/240VAC
Battery Internal	Yes, 12 V / 9 AH x2	Yes, 12 V / 9 AH x3	Yes, 12 V / 9 AH x4	Yes, 12 V / 9 AH x6
Output Port	8 x C13	8 x C13	8 x C13	8 x C13
Certificate	ISO9001 & 14001, TISI, IEC/EN62040-1	ISO9001 & 14001, TISI, IEC/EN62040-1	ISO9001 & 14001, TISI, IEC/EN62040-1	ISO9001 & 14001, TISI, IEC/EN62040-1
Runtime	9m at load 50%	9m at load 50%	9m at load 50%	9.5m at load 50%
Cable Bundle	Input power cord x1, Output C13/C14x1	Input power cord x1, Output C13/C14x1	Input power cord x1, Output C13/C14x2	Input power cord x1, Output C13/C14x2
Warranty	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass

SRP (inc. VAT)	12,600	19,355	23,100	30,790
-----------------------	---------------	---------------	---------------	---------------



Part number	GXE3-1000IRT2UXL	GXE3-1500IRT2UXL	GXE3-2000IRT2UXL	GXE3-3000IRT2UXL
SIS P/N	VTV-01203734	VTV-01203735	VTV-01203736	VTV-01203737
Topology	DCO(Rack /Tower)	DCO(Rack /Tower)	DCO(Rack /Tower)	DCO (Rack /Tower)
Capacity (VA/W)	1000VA/900W	1500VA/1350W	2000VA/1800W	3000VA/2700W
Input Voltage range	180-290 VAC	180-290 VAC	180-290 VAC	180-290 VAC
Output Voltage	220/230 Default/240VAC	220/230 Default/240VAC	220/230 Default/240VAC	220/230 Default/240VAC
Battery Internal	Yes, 12 V / 9 AH x2	Yes, 12 V / 9 AH x3	Yes, 12 V / 9 AH x4	Yes, 12 V / 9 AH x6
Output Port	8 x C13	8 x C13	8 x C13	8 x C13
Certificate	ISO9001 & 14001, TISI, IEC/EN 62040-1	ISO9001 & 14001, TISI, IEC/EN 62040-1	ISO9001 & 14001, TISI, IEC/EN 62040-1	ISO9001 & 14001, TISI, IEC/EN 62040-1
Runtime	9m at load 50%	9m at load 50%	9m at load 50%	9.5m at load 50%
Cable Bundle	Input power cord x1, Output C13/C14x1	Input power cord x1, Output C13/C14x1	Input power cord x1, Output C13/C14x2	Input power cord x1, Output C13/C14x2
Warranty	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass

SRP (inc. VAT)	16,194	22,024	29,149	36,922
-----------------------	---------------	---------------	---------------	---------------

Double Conversion Online UPS : GXT5 Series



Part number	Liebert GXT5-1000IRT2UXL	Liebert GXT5-1500IRT2UXL	Liebert GXT5-2000IRT2UXL	Liebert GXT5-3000IRT2UXL
SIS P/N	VTV-01202008	VTV-01202009	VTV-01202010	VTV-01202005
Topology	DCO (Rack /Tower)	DCO (Rack /Tower)	DCO (Rack /Tower)	DCO (Rack /Tower)
Capacity (VA/W)	1000VA/1000W	1500VA/1500W	2000VA/2000W	3000VA/3000W
Input Voltage range	230 VAC	230 VAC	230 VAC	230 VAC
Output Voltage	200/208/220/230/240 VAC	200/208/220/230/240 VAC	200/208/220/230/240 VAC	200/208/220/230/240 VAC
Battery Internal	Yes, 3 x 12 V x 9.0 Ah	Yes, 4 x 12 V x 9.0 Ah	Yes, 4 x 12 V x 9.0 Ah	Yes, 6 x 12 V x 9.0 Ah
Output Port	8 x EN60320/C13	8 x EN60320/C13	8 x EN60320/C13	6 x EN60320/C13, 1xEN60320/C19
Certificate	ISO9001 & 14001, TISI CERT13422-301	ISO9001 & 14001, TISI CERT13422-301	ISO9001 & 14001, TISI CERT13422-301	ISO9001 & 14001, TISI CERT13422-301
Runtime	17.8m at 50%	16.3m at 50%	21.8m at 30%	21.9m at 30%
Cable Bundle	No input, Output C13/C14 x2 (2m)	No input, Output C13/C14x2 (2m)	No input, Output C13/C14 x2 (2m)	No input, Output C13/C14 x2 (2m)
Warranty	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La, Narathiwass

SRP (inc. VAT)	37,054	45,689	62,606	79,180
-----------------------	---------------	---------------	---------------	---------------

Double Conversion Online UPS : GXT5 Series



Part number	Liebert GXT5-5000IRT5UXLN	Liebert GXT5-6000IRT5UXLN	GXT5-10KIRT5UXLN
SIS P/N	VTV-01201973	VTV-01201976	VTV-01201982
Topology	DCO (Rack /Tower)	DCO (Rack /Tower)	DCO (Rack /Tower)
Capacity (VA/W)	5000VA/5000W	6000VA/6000W	10000VA/10000W
Input Voltage range	176-288 VAC	176-288 VAC	176-288 VAC
Output Voltage	200/208/220/230/240 VAC	200/208/220/230/240 VAC	200/208/220/230/240 VAC
Battery Internal	Yes, 2 x 8 x 12V x 9.0 AH	Yes, 2 x 8 x 12V x 9.0 AH	Yes, 2 x 8 x 12V x 9.0 AH
Output Port	6 x C13, 2 x C19	6 x C13, 2 x C19	4 x C13, 4 x C19
Certificate	ISO9001&14001,TISI CERT13422-301	ISO9001&14001,TISI CERT13422-301	ISO9001&14001,TISI CERT13422-301
Runtime	18.5m at 50%	19.5m at 40%	25m at 20%
Cable Bundle	No	No	No
Warranty	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La,Narathiwat,Free Startup BKK	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La,Narathiwat,Free Startup BKK	3 Yrs On Site Replacement, not include rural area and Pattani, Ya-La,Narathiwat,Free Startup BKK

SRP (inc. VAT)	133,996	150,057	196,548
-----------------------	---------	---------	---------

5A UPS Line interactive for workstations, desktop PC's (Tower)



Part number	P-5A700I-NEMA	P-5A900I-NEMA	P-5A1200I-NEMA	P-5A1500I-NEMA	P-5A2200I-NEMA
SIS P/N	ETN-5A700I	ETN-5A900I	ETN-5A1200I	ETN-5A1500I	ETN-5A2200I
Topology	Line Interactive	Line Interactive	Line Interactive	Line Interactive	Line Interactive
Capacity (VA/W)	700 / 360	900 / 480	1200 / 660	1600 / 900	2200 / 1200
Input Voltage	1PH 230V	1PH 230V	1PH 230V	1PH 230V	1PH 230V
Output Voltage	1PH 230V	1PH 230V	1PH 230V	1PH 230V	1PH 230V
Battery Internal	N/A	N/A	N/A	N/A	N/A
Application	Computer & Peripheral	Computer & Peripheral	Computer & Peripheral	Computer & Peripheral	Computer & Peripheral
Inlet	Fixed Input Cord	Fixed Input Cord	Fixed Input Cord	Fixed Input Cord	Fixed Input Cord
Outlets	(4)Universal	(4)Universal	(6)Universal	(6)Universal	(6)Universal
Software	-	-	-	-	-
Warranty	2Yrs Onsite	2Yrs Onsite	2Yrs Onsite	2Yrs Onsite	2Yrs Onsite

SRP (inc. VAT)	1,268	1,624	2,375	4,369	5,660
-----------------------	-------	-------	-------	-------	-------

9A UPS Online double-conversion for Server/Networking Solution (PF 0.9)



Part number	9103-53974	9103-73A00	9103-83A46
SIS P/N	ETN-9A1000I	ETN-9A2000I	ETN-9A3000I
Topology	Double-conversion online	Double-conversion online	Double-conversion online
Capacity (VA/W)	1000 / 900	2000 / 1800	3000 / 2700
Input Voltage	1PH 230V	1PH 230V	1PH 230V
Output Voltage	1PH 230V	1PH 230V	1PH 230V
Battery Internal	ETN-9AEBM24	ETN-9AEBM48	ETN-9AEBM72
Application	Network and Server	Network and Server	Network and Server
Inlet	(1)IEC C14	(1)IEC C14	(1)IEC C20
Outlets	(4)IEC C13	(4)IEC C13	(6)IEC C13 ,(1)IEC C19
Software	WinPower	WinPower	WinPower
Warranty	3Y onsite	3Y onsite	3Y onsite

SRP (inc. VAT)	9,500	17,100	20,800
-----------------------	-------	--------	--------



Part number	9103-53973	9103-53973	9103-83A45
SIS P/N	ETN-9A1000IR	ETN-9A2000IR	ETN-9A3000IR
Topology	Double-conversion online	Double-conversion online	Double-conversion online
Capacity (VA/W)	1000 / 900	2000 / 1800	3000 / 2700
Input Voltage	1PH 230V	1PH 230V	1PH 230V
Output Voltage	1PH 230V	1PH 230V	1PH 230V
Battery Internal	ETN-9AEBM24U	ETN-9AEBM48U	ETN-9AEBM72U
Application	Network and Server	Network and Server	Network and Server
Inlet	(1)IEC C14	(1)IEC C14	(1)IEC C20
Outlets	(4)IEC C13	(4)IEC C13	(6)IEC C13 ,(1)IEC C19
Software	WinPower	WinPower	WinPower
Warranty	3Y onsite	3Y onsite	3Y onsite

SRP (inc. VAT)	12,200	21,600	25,100
-----------------------	--------	--------	--------



Global Power : Battery



Series
ประเภทของแบตเตอรี่
อุปกรณ์ที่แนะนำให้ใช้
ลักษณะการใช้งาน
รอบการใช้งาน

12V AGM Series
แบตเตอรี่แห้ง
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน
Standby use
ประมาณ 300-500 รอบ

SiS SKU	Description	SRP (Inc.VAT)	SRP (Exc.VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
12V AGM Series						
GPW-GTAG12-1-3	12V1.3AH	270	252	1Y carry in	97x45x57	0.57
GPW-GTAG12-5-5	12V5.5AH	560	523	1Y carry in	90x70x105	1.6
GPW-GTAG12-7-2	12V7.2AH	590	551	1Y carry in	151x64.5x99	2.1
GPW-GTAG12-7-5	12V7.5AH	740	692	1Y carry in	151x65x98	2.35
GPW-GTAG12-9	12V9AH	840	785	1Y carry in	151x64.5x99	2.45
GPW-GTAG12-12	12V12AH	1,140	1,065	1Y carry in	152x99x99.5	3.3
GPW-GTAG12-18	12V18AH	1,470	1,374	1Y carry in	181x77x167	5.15
GPW-GTAG12-26	12V26AH	2,340	2,187	1Y carry in	165x126x182	7.4
GPW-GTAG12-33	12V33AH	2,940	2,748	1Y carry in	195x130x179	9.1
GPW-GTAG12-40	12V40AH	3,600	3,364	1Y carry in	196x165x173	11.6
GPW-GTAG12-55	12V55AH	5,270	4,925	1Y carry in	231x139x217	15.1
GPW-GTAG12-65	12V65AH	5,800	5,421	1Y carry in	247x167x176	18.5
GPW-GTAG12-100	12V100AH	9,940	9,290	1Y carry in	329x172x243	30.8
GPW-GTAG12-200	12V200AH	18,000	16,822	1Y carry in	522x240x244	54.8
GPW-GTAG12-250	12V250AH	22,940	21,439	1Y carry in	522x268x226	66.5



Series
ประเภทของแบตเตอรี่
อุปกรณ์ที่แนะนำให้ใช้
ลักษณะการใช้งาน
รอบการใช้งาน

12V AGM Deep Cycle Series
แบตเตอรี่แห้ง
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟขนาดใหญ่
Cycle Use
ประมาณ 900 รอบ

SiS SKU	Description	SRP (Inc.VAT)	SRP (Exc.VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
12V Deep Cycle Series						
GPW-GTAD12-8	DC12V8AH	830	776	2Y carry in	151x65x94	2.35
GPW-GTAD12-12	DC12V12AH	1,200	1,121	2Y carry in	152x99x94	3.65
GPW-GTAD12-20	DC12V20AH	1,870	1,748	2Y carry in	118x77x167	5.45
GPW-GTAD12-40	DC12V40AH	4,000	3,738	2Y carry in	196x165x173	11.6
GPW-GTAD12-55	DC12V55AH	5,540	5,178	2Y carry in	231x139x225	15.1
GPW-GTAD12-75	DC12V75AH	7,340	6,860	2Y carry in	260x169x214	21
GPW-GTAD12-100	DC12V100AH(Short)	9,340	8,729	2Y carry in	329x172x225	28.6
GPW-GTAD12-120	DC12V120AH	10,940	10,224	2Y carry in	406x174x233	32.2
GPW-GTAD12-150	DC12V150AH	14,000	13,084	2Y carry in	483x170x240	43.3
GPW-GTAD12-200	DC12V200AH	18,670	17,449	2Y carry in	522x240x244	57



Series
ประเภทของแบตเตอรี่
อุปกรณ์ที่แนะนำให้ใช้
ลักษณะการใช้งาน
รอบการใช้งาน

12V Gel Deep Cycle Series
แบตเตอรี่แห้ง
ระบบโซล่าเซลล์, ระบบเครื่องสำรองไฟ (Long Backup Time)
Cycle Use
ประมาณ 900 รอบ

SiS SKU	Description	SRP (Inc.VAT)	SRP (Exc.VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
12V GEL Deep Cycle Series						
GPW-GTGD12-65	DC12V65AH	6,670	6,234	2Y carry in	348x168x178	18.5
GPW-GTGD12-100	DC12V100AH	9,540	8,916	2Y carry in	329x172x225	28.6
GPW-GTGD12-120	DC12V120AH	12,000	11,215	2Y carry in	406x174x233	33.2



Global Power : Battery



SIS SKU	Description	SRP (Inc. VAT)	SRP (Exc. VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
12V Lithium battery Series						
GPW-GVLB12-100	12V 100AH	25,340	23,682	3Y carry in	280x210x170	12
48V Lithium battery Series (For Solar cell)						
GPW-GRLR48-100	48V 100AH	39,590	37,000	3Y carry in	442x440x134.5(3U)	45

CSB Battery : Battery



Series
ประเภทของแบตเตอรี่
อุปกรณ์ที่แนะนำให้ใช้
ลักษณะการใช้งาน
รอบการใช้งาน

12V GP Series
แบตเตอรี่แห้ง
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน
Standby use
ประมาณ 300-500 รอบ

SIS SKU	Description	SRP (Inc. VAT)	SRP (Exc. VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
CSB-GP1272	12V7.2AH	1,090	1,019	2Y carry in	150x54x99	2.40
CSB-GP12120	12V12AH	2,540	2,374	2Y carry in	151x98x100	3.67
CSB-GP12170	12V17AH	3,380	3,159	2Y carry in	181x77x167	5.50



Series
ประเภทของแบตเตอรี่
อุปกรณ์ที่แนะนำให้ใช้
ลักษณะการใช้งาน
รอบการใช้งาน

12V UPS Series
แบตเตอรี่แห้ง
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน
Standby use
ประมาณ 300-500 รอบ

SIS SKU	Description	SRP (Inc. VAT)	SRP (Exc. VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
CSB-UPS123606	12V7.5AH	1,730	1,617	2Y carry in	150x51x99	1.97



Series
ประเภทของแบตเตอรี่
อุปกรณ์ที่แนะนำให้ใช้
ลักษณะการใช้งาน
รอบการใช้งาน

12V HR Series
แบตเตอรี่แห้ง
เครื่องสำรองไฟ, ระบบไฟฉุกเฉิน
Standby use
ประมาณ 300-500 รอบ

SIS SKU	Description	SRP (Inc. VAT)	SRP (Exc. VAT)	Warranty	Dimensions (mm) (LxWxH)	Weight (KG)
CSB-HR1221W	12V5AH	1,290	1,206	2Y carry in	90x70x106	1.80
CSB-HR1234W	12V9AH	1,870	1,748	2Y carry in	150x65x99	2.50