

ACER : Tower Servers

Service by Acer Care เฉพาะกรุงเทพฯ & ปริมณฑล นอกพื้นที่โปรดติดต่อฝ่ายขาย



NEW!



Altos BrainSphere™ T15 F6

ACR-USRUHTL004

NEW!



Altos BrainSphere™ T315 F6

ACR-USRUXTL002

CPU	AMD EPYC™ 4124P Processor 16 MB L3 Cache, 3.8 GHz	AMD EPYC™ 4464P Processor 64 MB L3 Cache, 3.7 GHz
Memory	16GB DDR5-4800 ECC UDIMM	16GB DDR5-4800 ECC UDIMM
Expansion Slots	* 1x PCIe 5.0 x16 slot 1x PCIe 4.0 x1 slot • 1x PCIe 4.0 x16 slot (wires x4) • 1 x M.2 2280 slot (M key, PCIe 5.0 x4) • 1 x M.2 2280 slot (M key, PCIe 4.0 x4) • 1 x M.2 2230 slot (E Key, support Wi-Fi)	* 1x PCIe 5.0 x16 slot 1x PCIe 4.0 x1 slot • 1x PCIe 4.0 x16 slot (wires x4) • 1 x M.2 2280 slot (M key, PCIe 5.0 x4) • 1 x M.2 2280 slot (M key, PCIe 4.0 x4) • 1 x M.2 2230 slot (E Key, support Wi-Fi)
Harddisk	1 x 3.5" 1TB NL SATA 7200RPM	2 x 2.5" 480GB SATA SSD
Chipset	AMD® B650E Chipset	AMD® B650E Chipset
RAID Controller	Integrated SATA RAID supports RAID 0, 1, 10 on Windows® OS only	8-port 9260-8i 512MB 6Gb/s SAS RAID
Max. # Internal Disks supports	Up to 4 x 3.5"/2.5" slots	Up to 4 x 3.5"/2.5" slots
Optical device	Super-Multi DRIVE HH 24X (Optional)	Available as option to purchase, Super-Multi DRIVE HH 24X
Onboard Gigabit Ethernet	"1x 2.5GbE RJ45 LAN port 1x GbE RJ45 DASH LAN port"	"1x 2.5GbE RJ45 LAN port 1x GbE RJ45 DASH LAN port"
Redundant Power Supply	No, Single 500W	Yes, 550W 80PLUS® 1+1 redundant PSU
Form Factor	Tower	Tower, For rack mounting, a conversion kit is available for purchase
OS Support (Not Provide OS)		
	* Microsoft® Windows Server® 2022 • Red Hat Linux 8.x/9.x • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04/24.04*	* Microsoft® Windows Server® 2022 • Red Hat Linux 8.x/9.x • SUSE Linux Enterprise Server 15 SP4 • Ubuntu 22.04/24.04*
Mouse	Altos USB Mouse	Altos USB Mouse
Keyboard	Altos USB Keyboard	Altos USB Keyboard
Warranty	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand	3 Year warranty Part & Labor, 5x8, Onsite Service NBD Thailand
SRP (inc. VAT)	41,730.-	103,790.-

HPE : Tower Servers

Server HP มี Onsite Service กรุณาสอบถามรายละเอียดโทร. 02-844-9622



ProLiant ML30 Gen11

KIT-ML30-G11-P2



ProLiant ML30 Gen11

KIT-ML30-G11-P5

Processor type	Intel® Xeon® E-2414 (4 core, 2.6 GHz, 55W)	Intel® Xeon® E-2434 (4 core, 3.4 GHz, 55W)
CPU Min., max	1 Processors	1 Processors
CPU Cache	12 MB	12 MB
Memory	16 GB (1x16 GB UDIMM, 4800 MT/s)	16 GB (1x16 GB UDIMM, 4800 MT/s)
Graphic	Integrated Video Standard	Integrated Video Standard
PCI Slot	4 PCIe: x16/x4/x4/x4	4 PCIe: x16/x4/x4/x4
Harddisk	1x1TB SATA HDD (4LFF Chassis Non Hot Plug)	None ship standard, 8 SFF supported
RAID Controller	Embedded Intel VROC SATA software RAID	Embedded Intel VROC SATA software RAID
Optical Drive	None ship standard; ODD Optional	None ship standard; ODD Optional
Total, Hotswap	Non-hot plug HDD Bays	8 SFF supported
Max, Internal disks	4LFF Chassis	8 SFF Chassis
Interfaces	1 Rear VGA Port - Standard	1 Rear VGA Port - Standard
Gigabit Ethernet	Embedded 1Gb 4-Port Ethernet Adapter	Embedded 1Gb 4-Port Ethernet Adapter
Power Supply	1x HPE ML30 Gen10 Plus 350W FIO Power Supply Kit	1x HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit
Form Factor	Tower 4U	Tower 4U
OS Support	Microsoft Windows Server เท่านั้น	Microsoft Windows Server เท่านั้น
Warranty	3/1/1 NBD (Limite Warranty)	3/1/1 NBD (Limite Warranty)
Warranty	HPE 3y FC NBD ML30 Gen10 SVC	HPE 3y FC NBD ML30 Gen10 SVC
Add On	"1xHPE 1TB SATA 7.2K LFF RW MV HDD HPE 3 Year Tech Care Basic ML30 Gen11 HW Service"	"3xHPE 480GB SATA RI SFF BC MV SSD 1xHPE 500W FS Plat Ht Plg LH Pwr Sply Kit HPE 3 Year Tech Care Basic ML30 Gen11 HW Service"
SRP (inc. VAT)	69,122.-	101,329.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sisthai.com

บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว

DELL : Tower Servers

DELL Technologies



PowerEdge T550

DEL-SnST550A



PowerEdge T550

DEL-SnST550D

Form Factor	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 1 CPU + 1 GPU Riser, TPM 2.0 V3	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 2 CPU + No PCIe Rise, TPM 2.0 V3
Processor	1 x Intel® Xeon® Silver 4310T	2 x Intel® Xeon® Gold 6326
Processor Speed / Core	2.3G, 10C/20T, 10.4GT/s, 15M Cache, Turbo, HT (105W) DDR4-2666	2.9G, 16C/32T, 11.2GT/s, 24M Cache, Turbo, HT (185W) DDR4-3200
Memory	16GB (1x 16GB) RDIMM, 3200MT/s, Dual Rank	32GB (2x 16GB) RDIMM, 3200MT/s, Dual Rank
Network	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0
Hard disk Group#1	2x 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD,	4x 2.4TB 10K RPM SAS ISE 12Gbps 512e 2.5in Hot-plug Hard Drive, 3.5in HYB CARR
Hard disk Group#2	N/A	N/A
RAID Controller	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
Power Supply	Dual, Hot-plug, Redundant Power Supply (1+1), 800W	Dual, Hot-Plug, Power Supply Redundant (1+1), 1400W
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	168,869.-	326,857.-



PowerEdge T550

DEL-SnST550B



PowerEdge T550

DEL-SnST550F

Form Factor	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 2 CPU + No PCIe Rise, TPM 2.0 V3	Chassis with up to 8, 3.5" Hot Plug Hard Drives, Riser Config1, 1 CPU + 1 GPU Riser, TPM 2.0 V3
Processor	2 x Intel® Xeon® Gold 6326	1 x Intel® Xeon® Silver 4310T
Processor Speed / Core	2.9G, 16C/32T, 11.2GT/s, 24M Cache, Turbo, HT (185W) DDR4-3200	2.3G, 10C/20T, 10.4GT/s, 15M Cache, Turbo, HT (105W) DDR4-2666
Memory	32GB (2x 16GB) RDIMM, 3200MT/s, Dual Rank	16GB (1x 16GB) RDIMM, 3200MT/s, Dual Rank
Network	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0	Broadcom 57416 Dual Port 10GbE BASE-T Adapter, OCP NIC 3.0
Hard disk Group#1	4x 960GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 3.5in HYB CARR, 1 DWPD"	2x 4TB 7.2K RPM NLSAS ISE 12Gbps 512n 3.5in Hard Drive
Hard disk Group#2	N/A	N/A
RAID Controller	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60	PERC H755 with front load bracket Support RAID 0, 1, 5, 6, 10, 50, 60
Optical Drive	DVD +/-RW, SATA, Internal	DVD +/-RW, SATA, Internal
Power Supply	Dual, Hot-Plug, Power Supply Redundant (1+1), 1400W	Dual, Hot-plug, Redundant Power Supply (1+1), 800W
System Management	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced	iDRAC9 Datacenter 15G with OpenManage Enterprise Advanced
Warranty	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive	3Yr ProSupport & Mission Critical: (7x24) 4-hour Onsite Service + 3Yr Keep Your Hard Drive
SRP (inc. VAT)	326,681.-	173,369.-

LENOVO : ICT 66 TOWER

Lenovo

CPU Gen3



CPU Gen3-SSD



ThinkSystem ST650 V2

LNV-7Z74S2FH00

ThinkSystem ST650 V2

LNV-7Z74S1X700

Form Factor	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1	Intel Xeon Silver 4310T 10C 105W 2.3GHz Processor,Cache Memory 15MB x 1
CPU	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 1
Memory	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
RAID Controller	ThinkSystem 2.5" 1.2TB 10K SAS 12Gb Hot Swap 512n HDD x 2	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 2
Harddisk	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 5720 1GbE RJ45 2-Port PCIe Ethernet Adapter x 1
NIC	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
Power Supply	XClarity Controller Enterprise	XClarity Controller Enterprise
System Management	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Warranty	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	148,600.-	151,600.-

CPU Gen3



CPU Gen3-SSD



ThinkSystem ST650 V2

LNV-7Z74S2FG00

ThinkSystem ST650 V2

LNV-7Z74S2FJ00

Form Factor	Tower	Tower
CPU	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2	Intel Xeon Gold 6326 16C 185W 2.9GHz Processor,Cache Memory 24MB x 2
Memory	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2	ThinkSystem 16GB TruDDR4 3200 MHz (2Rx8 1.2V) RDIMM x 2
RAID Controller	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1	ThinkSystem RAID 5350-8i PCIe 12Gb Adapter x 1
Harddisk	ThinkSystem 2.5" 2.4TB 10K SAS 12Gb Hot Swap 512e HDD x 4	ThinkSystem 2.5" Multi Vendor 960GB Entry SATA 6Gb Hot Swap SSD x 4
NIC	ThinkSystem Broadcom 57416 10GBASE-T 2-Port PCIe Ethernet Adapter x 1	ThinkSystem Broadcom 57416 10GBASE-T 2-Port PCIe Ethernet Adapter x 1
Power Supply	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2	ThinkSystem V2 750W(230V/115V) Platinum Hot-Swap Power Supply v2 x 2
System Management	XClarity Controller Enterprise	XClarity Controller Enterprise
Warranty	3Yr. 24x7 warranty	3Yr. 24x7 warranty
Included	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2	2.8m, 10A/120V, C13 to NEMA 5-15P (US) Line Cord (90Y3016) x 2
SRP (inc. VAT)	322,000.-	305,000.-



SIS Distribution (Thailand) Public Company Limited
TEL. 02-020-3000
Email address : sis@sissthai.com

บริษัทฯ ขอสงวนสิทธิ์ในการเปลี่ยนแปลงโดยไม่ต้องแจ้งให้ทราบล่วงหน้า รวมทั้งข้อผิดพลาดของรายละเอียดต่างๆ อันเนื่องมาจากการพิมพ์

ราคา SRP/End user เป็นราคารวมภาษีมูลค่าเพิ่ม 7 % แล้ว